

## Poster Sessions MONDAY, JULY 14, 2008

### 18:20 – 20:30 POSTER SESSION 1

**Hotel Metropolitan Room Asama C:  
14P-I**

#### *ENVIRONMENT AND ENERGY*

**14P-I-01 Applied Study of Carbon Fibers Biofilm Carriers in Two-phase Anaerobic Reactors**

Zhaokun Ma<sup>1</sup>, Hui Song<sup>1</sup>, Jieying Liang<sup>1</sup>, Jie Liu<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 140

**14P-I-02 Sowing Fossil Hydrocarbons to Offset Global Warming**

Jorge Laine (I.V.I.C., Venezuela) 140

**14P-I-03 Adsorption of Methane over Activated Carbons at 50 Bar Pressure**

Tamas Szabo<sup>1</sup>, Dániel Sebok<sup>1</sup>, Ágnes Patzkó<sup>1</sup>, András Erdohelyi<sup>1</sup>, Imre Kiricsi<sup>1</sup>, Imre Dékány<sup>1</sup> (<sup>1</sup>Univ. of Szeged, Hungary) 141

**14P-I-04 Adsorption of Dibenzothiophene on Activated Carbons in Hydrocarbon Solvents**

Seiji Kumagai<sup>1</sup>, Hirotaka Ishizawa<sup>1</sup>, Junya Sasaki<sup>1</sup>, Koichi Takeda<sup>1</sup>, Yasuhiro Toida<sup>2</sup> (<sup>1</sup>Akita Prefectural Univ., Japan) (<sup>2</sup>Japan Energy Co., Japan) 141

**14P-I-05 Molecular Sieving Property of Porous Carbon Prepared from Phenol-formaldehyde Resin**

Takumi Nishii<sup>1</sup>, Takefumi Ishikura<sup>1</sup>, Jun'ichi Hayashi<sup>2</sup> (<sup>1</sup>Tokyo Gas Co. Ltd., Japan) (<sup>2</sup>Kansai Univ., Japan) 142

**14P-I-06 VOCs Removal Using Activated Carbon: Effect of Porosity and Surface Chemistry**

Joaquin Silvestre-albero<sup>1</sup>, Ana Maria Silvestre-Albero<sup>1</sup>, Zinap Abdelouahab-Reddam<sup>1</sup>, Antonio Sepúlveda-Escribano<sup>1</sup>, Francisco Rodríguez-Reinoso<sup>1</sup> (<sup>1</sup>Univ. de Alicante, Spain) 142

**14P-I-07 The Diamond Like Carbon (DLC) Deposited on Metal Plate for Polymer Electrolyte Membrane (PEM) Fuel Cell Bipolar Plate**

Yu-Lin Hsin (Industrial Technology Research Institute, Taiwan) 143

**14P-I-08 Fullerene Derivatives in PEMFC Electrocatalyst**

Hiroshi Shioyama<sup>1</sup>, Atsushi Ueda<sup>1</sup>, Nobuhiro Kuriyama<sup>1</sup> (<sup>1</sup>AIST, Japan) 143

**14P-I-09 Preparation of Activated Carbons from a Food**

**Waste of Carbohydrate and Their Electrochemical Performance**

Yutaka Kaburagi<sup>1</sup>, Yuji Hattori<sup>1</sup>, Akira Yoshida<sup>1</sup> (<sup>1</sup>Musashi Institute of Technology, Japan) 144

**14P-I-10 Structure and Thermoelectric Properties of Porous SiC from Carbonized Wood**

Masashi Fujisawa<sup>1</sup>, Toshimitsu Hata<sup>2</sup>, Hiroyuki Kitagawa<sup>3</sup>, Paul Bronsveld<sup>4</sup>, Yasuji Kurimoto<sup>1</sup>, Yuji Imamura<sup>2</sup> (<sup>1</sup>Akita Prefectural Univ., Japan) (<sup>2</sup>Kyoto Univ., Japan) (<sup>3</sup>Shimane Univ., Japan) (<sup>4</sup>Univ. of Groningen, Netherlands) 144

**14P-I-11 Effect of the Humidity on the Photocatalytic Oxidation of VOC at Low Concentration Using TiO<sub>2</sub>/C Based Materials**

Maria Angeles Lillo-Rodenas<sup>1</sup>, Nadia Bouazza<sup>1</sup>, Ange<sup>1</sup> Linares-Solano<sup>1</sup> (<sup>1</sup>Univ. of Alicante, Spain) 145

**14P-I-12 Effect of N, B, F and C Doping of Titanium Dioxide Prepared by Sol-gel Process on the Photodegradation**

Sang Jin Kim<sup>1</sup>, Ji-Sun Im<sup>1</sup>, Young-Seak Lee<sup>1</sup> (<sup>1</sup>Chungnam National Univ., Korea) 145

**14P-I-13 Formation Mechanism of Polycyclic Aromatic Hydrocarbons in the Benzene Flame: Density Functional Tight Binding Molecular Dynamics Simulations**

Biswajit Saha<sup>1</sup>, S. Irle<sup>2</sup>, K. Morokuma<sup>1</sup> (<sup>1</sup>Kyoto Univ., Japan) (<sup>2</sup>Nagoya Univ., Japan) 146

**14P-I-14 High Activity PtRu Supported on Mass-Produced Multi-Walled Carbon Nanotubes for the Anode of Direct Methanol Fuel Cells**

In Young Jang<sup>1</sup>, Yong Jung Kim<sup>1</sup>, Ki Chul Park<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 146

#### *ADSORPTION, SURFACES AND POROUS MATERIALS*

**14P-I-15 A Study of Adsorption-desorption Mechanism of Ions in Electrosorption Desalination**

Hirokazu Oda<sup>1</sup>, Takaya Nakamura<sup>1</sup>, Masaki Yamamoto<sup>1</sup>, Kohei Mizutaki<sup>1</sup> (<sup>1</sup>Kansai Univ., Japan) 147

**14P-I-16 Porous Carbons From Poly(p-phenylene Benzobisoxazole)**

Juan M. D. Tascon<sup>1</sup>, Beatriz Vazquez-Santos<sup>1</sup>, Amelia Martinez-Alonso<sup>1</sup> (<sup>1</sup>Instituto Nacional of Carbon, CSIC, Spain) 147

**14P-I-17 Surface Modification of Graphite by Dielectric Barrier Discharge Plasma**

Juan M. D. Tascon<sup>1</sup>, Pablo Solis-Fernandez<sup>1</sup>, Juan I. Paredes<sup>1</sup>, Amelia Martinez-Alonso<sup>1</sup> (<sup>1</sup>Instituto Nacional del Carbon, CSIC, Spain) 148

**14P-I-18 NO Adsorption on Activated Carbon Fibers from Iron-containing Pitch**

Maria Angeles Lillo-Rodenas<sup>1</sup>, Juan Alcañiz-Monge<sup>1</sup>, Agustin Bueno-Lopez<sup>1</sup>, Maria Jose Illan-Gomez<sup>1</sup> (<sup>1</sup>Univ. of Alicante, Spain) 148

**14P-I-19 Preparation of Electrode for EDLC from Commercial Activated Carbon**

Ikpvo Hong<sup>1</sup>, Jingyu Wu<sup>2</sup>, Sei-Min Park<sup>3</sup>, Seong-Young Lee<sup>3</sup>, Myung-Soo Kim<sup>2</sup> (<sup>1</sup>Research Institute of Industrial Science & Technology, Korea) (<sup>2</sup>Myongji Univ., Korea) (<sup>3</sup>RIST, Korea) 149

**14P-I-20 Heat-treated Phthalocyanines as Surrogate Carbon Catalysts: Initial Insights into Oxygen-transfer Catalysis**

Fernando E. Vallejos-Burgos<sup>1</sup>, Shigenori Utsumi<sup>2</sup>, Yoshiyuki Hattori<sup>3</sup>, Ximena Garcia<sup>1</sup>, Alfredo L. Gordon<sup>1</sup>, Katsumi Kaneko<sup>2</sup>, Hirofumi Kanoh<sup>2</sup>, Ljubisa R. Radovic<sup>4</sup> (<sup>1</sup>Univ. de Concepcion, Chile) (<sup>2</sup>Chiba Univ., Japan) (<sup>3</sup>Shinshu Univ., Japan) (<sup>4</sup>Penn State Univ., USA) 149

**14P-I-21 Ab Initio and Density Functional Theory Potential Energy Curves for the Reaction of Atomic Hydrogen with Coronene**

Ying Wang (Nagoya Univ., Japan) 150

**14P-I-22 Effect of Pyrolysis Conditions on the Porosity of PPTA-derived Activated Carbon Fibers**

Alberto Castro-Muñiz<sup>1</sup>, Amelia Martínez-Alonso<sup>1</sup>, Juan M D Tascon<sup>1</sup> (<sup>1</sup>Instituto Nacional of Carbon, CSIC, Spain) 150

**14P-I-23 PPTA-Derived Activated Carbon Fibers. Effect of Phosphoric Acid as an Additive in their Preparation**

Alberto Castro-Muñiz<sup>1</sup>, Amelia Martínez-Alonso<sup>1</sup>, Juan M D Tascón<sup>1</sup> (<sup>1</sup>Instituto Nacional del Carbón, CSIC, Spain) 151

**14P-I-24 Stable Dispersion of Graphite Nanoplatelets in Organic Solvent**

Wei Tong (Harbin Engineering Univ., China) 151

**14P-I-25 Relaxation of Porous Hard Carbons Upon Water Adsorption**

Gudrun Reichenauer<sup>1</sup>, Philipp Eitelwein<sup>1</sup>, Stefan Braxmeier<sup>1</sup>, Christian Scherdel<sup>1</sup> (<sup>1</sup>Bavarian Center for Applied Energy Research, Germany) 152

**14P-I-26 Synthesis and Properties of Amorphous Carbon Material for Various Application**

Alexey P. Kozlov<sup>1</sup>, Chingiz N. Barnakov<sup>1</sup>, Zinfer R. Ismagilov<sup>2</sup>, Mikhail A. Kerzhentsev<sup>2</sup> (<sup>1</sup>Institute of Coal and Coal Chemistry SB RAS, Russia) (<sup>2</sup>Boreskov Institute of Catalysis SB RAS, Russia) 152

**14P-I-27 Graphite Oxide Based Materials as Adsorbents of Small Molecule Gases**

Teresa J Bandosz<sup>1</sup>, Mykola Seredych<sup>1</sup> (<sup>1</sup>The City College of

New York, USA)

153

## NANOTUBES

**14P-I-28 External Electric Field Enhancement by Carbon Nanotubes**

Leonid Grigorian<sup>1</sup>, Alex E. Moser<sup>1</sup> (<sup>1</sup>YTC America Inc., USA) 153

**14P-I-29 The Influence of Carbon Support on the Structure and the Productivity of Carbon Nanofibers**

Ali Rinaldi<sup>1</sup>, Jean-Philippe Tessonnier<sup>1</sup>, Norly Abdullah<sup>2</sup>, Dang Sheng Su<sup>1</sup>, Robert Schlögl<sup>1</sup>, Sharifah Bee Abdul Hamid<sup>2</sup> (<sup>1</sup>Fritz-Haber-Institut der Max-Planck-Gesellschaft, Germany) (<sup>2</sup>Combicat Univ. Malaya, Malaysia) 154

**14P-I-30 Determination of Functional Groups after Nitric Acids Oxidation of Multi-walled Carbon Nanotubes and the Significance of Fulvic Acids**

Zhaowei Wang<sup>1</sup>, Raymond L.D. Whitby<sup>1</sup>, Steven T. Meikle<sup>1</sup>, Sergey V. Mikhalovsky<sup>1</sup> (<sup>1</sup>Univ. of Brighton, UK) 154

**14P-I-31 Dispersion of MWCNT with and without Polyaniline for Transparent Conductive Thin Layer**

Teruya Goto<sup>1</sup>, Hiroki Arai<sup>1</sup>, Hiroshi Awano<sup>1</sup>, Tatsuhiro Takahashi<sup>1</sup>, Koichiro Yonetake<sup>1</sup>, Osamu Haba<sup>1</sup>, Noriyuki Kuramoto<sup>1</sup> (<sup>1</sup>Yamagata Univ., Japan) 155

**14P-I-32 Microwave Absorption and Complex Permittivity and Permeability of Continuous Ni-layer Coated Carbon Nanotubes**

Dong-Lin Zhao<sup>1</sup>, Zeng-Min Shen<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 155

**14P-I-33 Synthesis of Highly Aligned Carbon Nanotubes by One-step Process in Liquid-phase**

Kiyofumi Yamagiwa<sup>1</sup>, Yoshihiro Yamaguchi<sup>1</sup>, Tsuneharu Takeuchi<sup>1</sup>, Morihito Saito<sup>1</sup>, Jun Kuwano<sup>1</sup> (<sup>1</sup>Tokyo Univ. of Science, Japan) 156

**14P-I-34 Fabrication of Carbon Nanotube Reinforced Aluminium Alloy Composites by High Pressure Die Casting**

Qianqian Li<sup>1</sup>, Christian A. Rottmair<sup>1</sup>, Robert F. Singer<sup>1</sup> (<sup>1</sup>Univ. Erlangen-Nuremberg, Germany) 156

**14P-I-35 Structure - Properties - Performance Relationship of Carbon Nanofiber Supported Pt Catalysts**

De Chen<sup>1</sup>, Ingvar Kvande<sup>1</sup>, Magnus Rønning<sup>1</sup> (<sup>1</sup>NTNU, Norway) 157

**14P-I-36 Synthesis of Platinum Nanowire Networks Using a Carbon Nanotube Template**

Jong Hak Lee<sup>1</sup>, Sung Min Park<sup>1</sup>, Do-Yoon Kim<sup>1</sup>, Jae-Hong Park<sup>1</sup>, S. P. Patole<sup>1</sup>, Ji Beom Yoo<sup>1</sup> (<sup>1</sup>Sungkyunkwan Univ., Korea) 158

**14P-I-37 Process Gas Species Induced Structural Effects on Carbon Nanotube Growth**

Fumitaka Ohashi<sup>1</sup>, Guan Yow Chen<sup>2</sup>, Vlad Stolojan<sup>3</sup>, Ravi Silva<sup>3</sup> (<sup>1</sup>Univ. of Surrey, UK) (<sup>2</sup>Surrey Nanosystems, UK)

(<sup>3</sup>Advanced Technology Institute, UK) 158

**14P-I-38 Novel Self-templated Growth Mode in Catalytic Synthesis of Carbon Nanostructures**

Tiejun Zhao<sup>1</sup>, Jun Zhu<sup>2</sup>, Zhixin Yu<sup>1</sup>, Ingvar Kvande<sup>1</sup>, De Chen<sup>1</sup>, Xingguo Zhou<sup>2</sup> (<sup>1</sup>Norwegian Univ. of Science and Technology, Norway) (<sup>2</sup>East China Univ. of Science and Technology, China) 159

**14P-I-39 Catalytic Growth of Carbon Nanofibers Using Co-precipitated Ni-Mg and Co-Mg Catalysts**

Ting-Yu Wu (Tatung Univ., Taiwan) 159

**14P-I-40 A Simple Method to Prepare Carbon Nanotube Film by Inkjet Printing**

Fan Zhuang Jun (Harbin Engineering Univ., China) 160

**14P-I-41 Manufacturing and Properties of Carbon Nanotube Actuator**

Yong Chae Jung<sup>1</sup>, Hyang Hwa So<sup>2</sup>, Hye Jin Yoo<sup>2</sup>, Jae Whan Cho<sup>2</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Konkuk Univ., Korea) 160

**14P-I-42 Electroactive Shape Memory Effect of Polyurethane-carbon Nanotube Nanocomposites**

Yong Chae Jung<sup>1</sup>, Sun Young Lee<sup>2</sup>, Hyun Hee Kim<sup>2</sup>, Jae Whan Cho<sup>2</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Konkuk Univ., Korea) 161

**14P-I-43 Boron Nitride Microtubes Exhibiting Intense Near-band-gap UV Emission**

Yang Huang<sup>1</sup>, Yoshio Bando<sup>1</sup>, Chengchun Tang<sup>2</sup>, Chunyi Zhi<sup>2</sup>, Takeshi Terao<sup>1</sup>, Takashi Sekiguchi<sup>1</sup>, Dmitri Golberg<sup>1</sup> (<sup>1</sup>Univ. of Tsukuba, Japan) (<sup>2</sup>Nanoscale Materials Center, Japan) 161

**14P-I-44 Carbon Nanotubes Inhibit Cell Proliferation by Adsorption of Essential Micronutrients from Cell Culture Medium**

Robert H. Hurt<sup>1</sup>, Lin Guo<sup>1</sup>, Annette Von Dem Bussche<sup>1</sup>, Agnes Kane<sup>1</sup> (<sup>1</sup>Brown Univ., USA) 162

**14P-I-45 TPGS an Active Antioxidant Surfactant for Green Processing of Carbon Nanotubes and Fullerenes**

Robert H. Hurt<sup>1</sup>, Aihui Yan<sup>1</sup>, Annette Von Dem Bussche<sup>1</sup>, Agnes Kane<sup>1</sup> (<sup>1</sup>Brown Univ., USA) 162

**14P-I-46 Structures of Activated Carbon Nanotubes Prepared by Two-step Activation**

Yunfang Liu<sup>1</sup>, Bo Liu<sup>1</sup>, Weidong Chi<sup>1</sup>, Zengmin Shen<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 163

**14P-I-47 A Facile Method for Fe<sub>3</sub>O<sub>4</sub> on Carbon Nanotubes**

Yunfang Liu<sup>1</sup>, Bo Liu<sup>1</sup>, Weidong Chi<sup>1</sup>, Zengmin Shen<sup>1</sup>, Lin Hu<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 163

**14P-I-48 The Preparation and Characteristics of Oxyfluorinated MWCNT/epoxy Composites by E-beam Irradiation Cure Method**

Seok-Min Yun<sup>1</sup>, Sang Jin Kim<sup>1</sup>, Ju-Wan Kim<sup>1</sup>, Young Chang Nho<sup>2</sup>, Phil Hyun Kang<sup>2</sup>, Young-Seak Lee<sup>1</sup> (<sup>1</sup>Chungnam National Univ., Korea) (<sup>2</sup>Korea Atomic Energy Research Institute, Korea) 164

## NANOFORMS

**14P-I-49 Growth of Carbon Nanofibers on Carbon Fiber Cloth Using Electrodeposited Catalysts**

Shinn-Shyong Tzeng<sup>1</sup>, Po-Kai Chuang<sup>1</sup>, Mei-Hsueh Nien<sup>1</sup> (<sup>1</sup>Tatung Univ., Taiwan) 164

**14P-I-50 Difference of the Pre-oxidation Mechanism between Electrospun PAN Fibers and Common PAN Fibers**

Jie Liu<sup>1</sup>, Peixun Zhou<sup>1</sup>, Hao Feng<sup>2</sup>, Zhaokun Ma<sup>1</sup>, Jieying Liang<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) (<sup>2</sup>South Dakota School of Mines and Technology Rapid City, USA) 165

**14P-I-51 Orbicular Graphite in Oshirabetsu, Hokkaido, Japan**

Chuan Xiu Yun (Peking Univ., China) 165

**14P-I-52 Synthesis and Photocatalytic Effects for the Pt-Fullerene/TiO<sub>2</sub> Composites Derived from Pt Treated Fullerene and TNB**

Won-Chun-Oh<sup>1</sup>, Ah-Reum Jung<sup>1</sup>, Weon-Bae Ko<sup>2</sup> (<sup>1</sup>Hanseon Univ., Korea) (<sup>2</sup>Sahmyook Univ., Korea) 166

**14P-I-53 Solution Synthesis of Carbon Nanoparticles from Deoiled Asphalt**

Xuguang Liu<sup>1</sup>, Hairong Wen<sup>1</sup>, Yongzhen Yang<sup>1</sup>, Wenfang Ren<sup>1</sup>, Xingmei Guo<sup>1</sup>, Bingshe Xu<sup>1</sup> (<sup>1</sup>Taiyuan Univ. of Technology, China) 166

**14P-I-54 Hollow Carbon Nanospheres Prepared by Carbonizing PMMA/PAN Core-shell Polymer Particles**

Wenming Qiao<sup>1</sup>, Guangzhi Yang<sup>1</sup>, Risheng Xu<sup>1</sup>, Licheng Ling<sup>1</sup>, Junhe Yang<sup>2</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) (<sup>2</sup>Shanghai Institute of Technology, China) 167

**14P-I-55 Template Synthesis of Cross-linked Fullerene like Nanocarbon with Three-dimensional Regularity**

Hiroto Nishihara<sup>1</sup>, Katsuaki Imai<sup>1</sup>, Juan I Paredes<sup>2</sup>, Amelia Martínez-Alonso<sup>2</sup>, Juan M.D. Tascón<sup>2</sup>, Takashi Kyotani<sup>1</sup> (<sup>1</sup>Tohoku Univ., Japan) (<sup>2</sup>Instituto Nacional del Carbón, Spain) 167

**14P-I-56 Preparation of Carbon-encapsulated Iron Nanoparticles from Mesophase Pitch and Ferrocene**

Huaihe Song<sup>1</sup>, Wentao Lian<sup>1</sup>, Huaihe Song<sup>1</sup>, Xiaohong Chen<sup>1</sup>, Junping Huo<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 168

## **ELECTROCHEMISTRY, BATTERIES AND CAPACITORS**

### **14P-I-57 Electrochemical Properties of Surface Fluorinated Graphite in Propylene Carbonate Containing Solvent**

Takashi Achiha<sup>1</sup>, Seiko Shibata<sup>1</sup>, Tsuyoshi Nakajima<sup>1</sup>, Yoshimi Ozawa<sup>1</sup>, Alain Tressaud<sup>2</sup>, Etienne Durand<sup>2</sup> (<sup>1</sup>Aichi Institute of Technology, Japan) (<sup>2</sup>Univ. Bordeaux I, France) 168

### **14P-I-58 Preparation and Performances of Pitches-based Carbon Aerogel Electrodes for the Application of Electrochemical Capacitor**

Ruowen Fu<sup>1</sup>, Xianhua Zeng<sup>1</sup>, Dingcai Wu<sup>1</sup> (<sup>1</sup>Sun Yat-sen Univ., China) 169

### **14P-I-59 Pre- and Post-Combustion Carbon Capture Using Latent Porous Crystal Copper-Organic Framework Adsorbents**

Christian M Lastoskie<sup>1</sup>, Christian M. Lastoskie<sup>1</sup>, Craig M. Tenney<sup>1</sup>, Tran D. Trinh<sup>1</sup>, Katsumi Kaneko<sup>2</sup> (<sup>1</sup>Univ. of Michigan, USA) (<sup>2</sup>Chiba Univ., Japan) 169

### **14P-I-60 Performance of B-C and B-C-N Composites as Electrodes for Electrochemical Capacitors**

Hidetaka Konno<sup>1</sup>, Teruhiko Ito<sup>1</sup> (<sup>1</sup>Hokkaido Univ., Japan) 170

### **14P-I-61 Concerning of More Precise System to Clarify the Size Effect on Capacitance Uptake of Supercapacitors**

Yong Jung Kim<sup>1</sup>, Cheol-Min Yang<sup>2</sup>, Masaaki Kitani<sup>1</sup>, Tsuyoshi Kodama<sup>1</sup>, Keita Higuchi<sup>1</sup>, Naohiro Aoyama<sup>1</sup>, Takayuki Oka<sup>1</sup>, Akane Kobayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Chiba Univ., Japan) 170

### **14P-I-62 Influence of the Electrolyte on Capacitive Properties of the C/N Materials Prepared by Pyrolysis of Organic Molecular Crystals**

Yoshiki Hayashi<sup>1</sup>, Youichi Yano<sup>1</sup>, Masayuki Kawaguchi<sup>1</sup> (<sup>1</sup>Osaka Electro-Communication Univ., Japan) 171

### **14P-I-63 Charge/discharge Properties of Chars Derived from the Polyimide Containing Hetero-atoms**

Hidetaka Konno<sup>1</sup>, Mariko Ushiro<sup>1</sup>, Atsuo Yoneda<sup>1</sup> (<sup>1</sup>Hokkaido Univ., Japan) 171

### **14P-I-64 Single-walled Carbon Nanotubes with High Surface Area and Their Capacitor Properties**

Osamu Kimizuka<sup>1</sup>, Susumu Saeki<sup>1</sup>, Yoshio Yamada<sup>1</sup>, Osamu Tanaike<sup>2</sup>, Junya Yamashita<sup>2</sup>, Futaba Don<sup>2</sup>, Kenji Hata<sup>2</sup>, Hiroaki Hatori<sup>2</sup>, Kenji Machida<sup>3</sup>, Shunzo Suematsu<sup>3</sup>, Kenji Tamamitsu<sup>3</sup> (<sup>1</sup>Univ. of Fukui, Japan) (<sup>2</sup>AIST, Japan) (<sup>3</sup>Nippon Chemi-Con Corporation, Japan) 172

### **14P-I-65 Structure and EDLC Performance of Oxidized Carbons and Pyrolyzed Carbons**

Ik Jun Kim<sup>1</sup>, Sunhye Yang<sup>1</sup>, Min Je Jeon<sup>1</sup>, Seong In Moon<sup>1</sup>, Hyun Soo Kim<sup>1</sup>, Kye Hyeok An<sup>2</sup> (<sup>1</sup>Korea Electrotechnology Research Institute, Korea) (<sup>2</sup>Jeonju Machinery Research Center, Korea) 172

### **14P-I-66 Influence of Metal Plating Treatment in the Electrochemical Performance of Activated Carbon Fabric Electrodes for Electrical Double Layer Capacitors**

Yongming Tian<sup>1</sup>, Yan Song<sup>1</sup>, Yu Geng<sup>1</sup>, Zhihong Tang<sup>1</sup>, Quanguo Guo<sup>1</sup>, Lang Liu<sup>1</sup> (<sup>1</sup>Institute of Coal Chemistry, Chinese Academy of Sciences, China) 173

### **14P-I-67 Anode Performance of Poly(p-phenylene terephthalamide)-based Carbon Electrodes as Secondary Li Ion Battery**

Alberto Castro-Muñiz<sup>1</sup>, Yong J Kim<sup>2</sup>, Morinobu Endo<sup>2</sup>, Amelia Martinez-Alonso<sup>1</sup>, Juan M D Tascón<sup>1</sup> (<sup>1</sup>Instituto Nacional de Carbón, Spain) (<sup>2</sup>Shinshu Univ., Japan) 173

### **14P-I-68 Graphite with Enhanced Surface Area for Capacitor Electrode**

Yasushi Soneda<sup>1</sup>, Hiroaki Hatori<sup>1</sup> (<sup>1</sup>AIST, Japan) 174

### **14P-I-69 Structural and Electrochemical Characteristics of Hard-carbon Particles Coated with Pyrocarbon at Several Temperatures**

Yoshimi Ohzawa<sup>1</sup>, Hideki Sakakibara<sup>1</sup>, Tsuyoshi Nakajima<sup>1</sup> (<sup>1</sup>Aichi Institute of Technology, Japan) 174

### **14P-I-70 Electrochemical Property of Sulfur-Containing Carbon Microsphere**

Miyuki Arai<sup>1</sup>, Michiya Ota<sup>1</sup>, Takanori Tago<sup>1</sup>, Yoshihiro Takizawa<sup>1</sup>, Masaya Kodama<sup>2</sup> (<sup>1</sup>Gunma College of Technology, Japan) (<sup>2</sup>AIST, Japan) 175

### **14P-I-71 The Effect of Surface Functional Groups of Porous Carbon Materials on Its Electrochemical Properties**

Yanhong Tian<sup>1</sup>, Jiaoping Yang<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 175

## **CARBON FIBERS AND COMPOSITES**

### **14P-I-72 Silicon Carbide and Carbon Open-cell Foams: CVD Processing and Characterization**

Sophie Delettrez<sup>1</sup>, Francis Langlais<sup>1</sup>, Georges Chollon<sup>1</sup>, Gerard Vignoles<sup>1</sup> (<sup>1</sup>LCTS, France) 176

### **14P-I-73 Fabrication of Carbon Nano-fiber/alumina Composites by Vacuum Sintering and Hot Isostatic Pressing**

Seiichi Taruta<sup>1</sup>, Tomohiro Yamaguchi<sup>1</sup>, Kunio Kitajima<sup>1</sup>, Yuki Usui<sup>1</sup>, Kaoru Aoki<sup>1</sup>, Morinobu Endo<sup>1</sup>, Naoto Saito<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 176

### **14P-I-74 Effect of Impregnating Precursor and Carbonization Temperature on Tribological Behavior of Carbon-Carbon Composites**

Kuo-Jung Lee<sup>1</sup>, Min-Jet Tsai<sup>1</sup>, Huy Zu Cheng<sup>1</sup> (<sup>1</sup>I-SHOU

- Univ., Taiwan) 177
- 14P-I-75 Hydrophilic Ordered Mesoporous Carbon Materials and Their Surface Functionalization**  
Maria M. Titirici<sup>1</sup>, Rezan Demir-Cakan<sup>1</sup>, Farnoosh Rohi<sup>1</sup>, Markus Antonietti<sup>1</sup> (<sup>1</sup>Max-Planck Institute for Colloids and Interfaces, Germany) 177
- 14P-I-76 The Problems of Intercalation of Nanographites - Structural Blocks of Activated Carbons**  
Albert M. Ziatdinov (Far-East Branch of the Russian Academy of Sciences, Russia) 178
- 14P-I-77 Application of MWCNT/Elastomer Nanocomposites to Automotive Sealing Material**  
Takashi Wanibuchi<sup>1</sup>, Takushi Matsushita<sup>1</sup>, Tsuyoshi Watanabe<sup>1</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>2</sup>, Morinobu Endo<sup>3</sup> (<sup>1</sup>Fukoku Co., Ltd., Japan) (<sup>2</sup>Nissin Kogyo, Japan) (<sup>3</sup>Shinshu University, Japan) 177
- 14P-I-78 Application of MWCNT/Elastomer Nanocomposites to Milking Teat Cup Liner**  
Kazuyuki Machida<sup>1</sup>, Shingo Yonemura, Hidetoshi Watanabe<sup>1</sup>, Shigeki Inukai<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>2</sup>, Morinobu Endo<sup>3</sup> (Orion Machinery Co., Ltd., Japan<sup>1</sup>) (Nissin Kogyo Co., Ltd.<sup>2</sup>) (Shinshu Univ., Japan<sup>3</sup>) 177
- 14P-I-79 Investigation of Stress Graphitization of Carbon-Carbon Composites Using Raman Spectroscopy**  
Shinn-Shyong Tzeng<sup>1</sup>, Yu-Hun Lin<sup>1</sup>, Horng-Yu Lin<sup>2</sup>, Mei-Hsueh Nien<sup>1</sup>, Jin-Chein Lin<sup>2</sup> (<sup>1</sup>Tatung Univ., Taiwan) (<sup>2</sup>Technology and Science Institute of Northern Taiwan, Taiwan) 179
- 14P-I-80 Study on the Electrical Conductivity of Copper-coated Graphite Fibers**  
Zechao Tao (Institute of Coal Chemistry, Chinese Academy of Sciences, China) 180
- 14P-I-81 Silicon Carbide Foams Produced by Siliciding Carbon Foams Derived from Mesophase Pitch**  
Yu Yang<sup>1</sup>, Quanguo Guo<sup>1</sup> (<sup>1</sup>Institute of Coal Chemistry, Chinese Academy of Sciences, China) 180
- 14P-I-82 Thermal and Nanomechanical Characteristics of Multi-walled Carbon Nanotubes Reinforced PLA Nanocomposites**  
Sheng-Rui Jian<sup>1</sup>, I-Ju Teng<sup>2</sup>, Cheng-Tzu Kuo<sup>3</sup>, Wei-Ming Chiu<sup>4</sup> Huy-Zu Cheng<sup>1</sup> (<sup>1</sup>I-Shou Univ., Taiwan) (<sup>2</sup>National Chiao Tung Univ., Taiwan) (<sup>3</sup>Ming Dao Univ., Taiwan) (<sup>4</sup>National Chin-Yi Univ., Taiwan) 181
- 14P-I-83 Study on Effect of Electrochemical Oxidation Modification on Physical and Chemical State of Carbon Fiber Surface**  
YuLi Tian<sup>1</sup>, Jie Liu<sup>1</sup> Yujia Chen<sup>1</sup> Jieying Liang<sup>1</sup>, Zhaokun Ma<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 181
- 14P-I-84 Carbon Nanotube Inorganic Nanowires**
- Core-shell Heterostructures: Synthesis, Properties and Prospects**  
Ujjal K. Gautam<sup>1</sup>, Yoshio Bando<sup>1</sup>, Pedro M. F. J. Costa<sup>1</sup>, Dmitri Golberg<sup>1</sup> (<sup>1</sup>National Institute for Materials Sciences, Japan) 182
- 14P-I-85 Methane Storage Using Chemically Activated Electrospun Carbon Fibers**  
Min-il Kim<sup>1</sup>, Ji-Sun Im<sup>1</sup>, Young-Seak Lee<sup>1</sup> (<sup>1</sup>Chungnam National Univ., Korea) 182
- 14P-I-86 ESR of Activated Carbon Fibers with Different Sorbates**  
Maxim A. Ziatdinov<sup>1</sup>, Vladimir V. Kainara<sup>1</sup> (<sup>1</sup>Institute of Chemistry, Far-East Branch of the Russian Academy of Sciences, Russia) 183
- 14P-I-87 Lasersynthesized Nanocarbons in Some Polymerbased Composites for Industrial Applications**  
Ion Voicu<sup>1</sup>, Lavinia Gavrilă-Florescu<sup>1</sup>, Iuliana Soare<sup>1</sup>, Ion Sandu<sup>1</sup>, Ion Dinca<sup>2</sup>, Constantin Serghie<sup>2</sup>, Liviu Dumitrache<sup>3</sup>, Zina Vuluga<sup>3</sup>, Gabriel Prodan<sup>4</sup>, Ion Morjan<sup>1</sup>, Ion Voicu<sup>1</sup> (<sup>1</sup>National Institute for Lasers, Plasma and Radiation Physics, Romania) (<sup>2</sup>National Institute for Aerospace Research, Romania) (<sup>3</sup>National Institute for Chemical Research, Romania) (<sup>4</sup>Ovidius Univ. of Constanta, Romania) 183
- 14P-I-88 The Effect of Oxidized PAN Fiber Modification on the Structure and Properties of Carbon Fiber**  
Jie Liu<sup>1</sup>, Xiaoguang Sun<sup>1</sup>, Zhaokun Ma<sup>1</sup>, Jieying Liang<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 184
- 14P-I-89 The Effect of Tension on PAN-based Stabilization Fiber during Low Temperature Carbonization**  
Jie Liu<sup>1</sup>, Feng Lian<sup>1</sup>, Zhaokun Ma<sup>1</sup>, Jieying Liang<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 184
- 14P-I-90 Effect of Modification of Electrolyte Temperature on Surface Properties Carbon Fiber**  
Jie Liu<sup>1</sup>, Yujia Chen<sup>1</sup>, Yuli Tian<sup>1</sup>, Jieying Liang<sup>1</sup>, Zhaokun Ma<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 185
- 14P-I-91 The Investigation of Nylon-12/Carbon Black Nano Composites for High Temperature Positive Temperature Coefficient**  
Tsao Keng-Yu<sup>1</sup>, Huang Chi-Yuan<sup>1</sup>, Tsai Ching-Shan<sup>1</sup> (<sup>1</sup>Tatung Univ., Taiwan) 185
- 14P-I-92 The Improvement of Mechanical Strength for LDPCF with Limited Shrinkage during Oxidation**  
Song Zhao<sup>1</sup> (<sup>1</sup>Institute of Coal Chemistry, Chinese Academy of Sciences, China) 185

**Hotel Metropolitan Room Kurohime:  
14P-II**

**DIAMOND AND GICS**

## 14P-II-01 Intercalation of Potassium into Graphite-like Layered Material of Composition BC<sub>2</sub>N

Katsuya Ohnishi<sup>1</sup>, Masayuki Kawaguchi<sup>1</sup> (<sup>1</sup>Osaka Electro-Communication Univ., Japan) 186

## 14P-II-02 Preparation of Pillared Carbons from Graphite Oxide Silylated by 3-Aminopropylethoxysilanes

Yoshimasa Sakai<sup>1</sup>, Yoshiaki Matsu<sup>1</sup>, Tomokazu Fukutsuka<sup>2</sup>, Yosohiro Sugie<sup>1</sup> (<sup>1</sup>Univ. of Hyogo, Japan) (<sup>2</sup>Kyoto Univ., Japan) 186

## 14P-II-03 Graphite Intercalation Compounds as Potential Thermoelectric Materials

Rika Matsumoto<sup>1</sup>, Yutaro Hoshina<sup>1</sup>, Noboru Akuzawa<sup>2</sup> (<sup>1</sup>Tokyo Polytechnic Univ., Japan) (<sup>2</sup>Tokyo National College of Technology, Japan) 187

## 14P-II-04 Change of Electrical Resistivity of Cathode Graphite during Electrolysis in Alumina Molten Salt

Morio Chiwata<sup>1</sup>, Noboru Akuzawa<sup>1</sup>, Hayato Nambu<sup>1</sup>, Hiroshi Imagawa<sup>2</sup> (<sup>1</sup>Tokyo National College of Technology, Japan) (<sup>2</sup>SEC Carbon, Ltd., Japan) 187

## 14P-II-05 SR Structure Analysis of New Detonation Nanodiamonds and Method of Their Production

Valery Yurievich Dolmatov<sup>1</sup>, Gennadiy Stepanovich Yuriev<sup>2</sup>, Marina Viktorovna Veretennikova<sup>1</sup> (<sup>1</sup>FSUP SCTB, Russia) (<sup>2</sup>Institute of Inorganic Chemistry SB RAS, Russia) 188

## 14P-II-06 Scanning Tunneling Microscopy Studies of Superconducting CaC<sub>6</sub>

Kaveh C. Rahnejat<sup>1</sup>, Christopher Howard<sup>1</sup>, Benjamin Bryant<sup>1</sup>, Katsuya Iwaya<sup>1</sup>, Mark Ellerby<sup>1</sup> (<sup>1</sup>Univ. College London/London Centre for Nanotechnology, UK) 189

## 14P-II-07 Structural and Adsorptive Properties of C<sub>14n</sub>AsF<sub>6</sub> Prepared by the Reaction of O<sub>2</sub>AsF<sub>6</sub> with Graphitic Carbons

Fujiro Okino<sup>1</sup>, Shohei Nakamura<sup>1</sup>, Yoshiyuki Hattori<sup>1</sup>, Masanori Tomita<sup>2</sup>, Takashi Yanagisawa<sup>2</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>GSI Creos Corporation., Japan) 189

## 14P-II-08 Single Nano Size Diamond Separated from Powdered HPHT Diamond

Naoki Komatsu<sup>1</sup>, Yo Morita<sup>1</sup>, Tatsuya Takimoto<sup>1</sup>, Shuji Aonuma<sup>2</sup>, Takahide Kimura<sup>1</sup> (<sup>2</sup>Shiga Univ. of Medical Science, Japan) (<sup>2</sup>Osaka Electro. Univ., Japan) 190

## 14P-II-09 Synthesis of Ca-GIC Using Various Carbon Materials and Its Superconductivity

Asami Takenaka<sup>1</sup>, Yoshihiko Takano<sup>2</sup>, Noboru Akuzawa<sup>3</sup>, Akira Yoshida<sup>4</sup>, Yutaka Kaburagi<sup>4</sup>, Tomoki Tsumura<sup>1</sup>, Masahiro Toyoda<sup>1</sup> (<sup>1</sup>Oita Univ., Japan) (<sup>2</sup>National Institute for Materials Science, Japan) (<sup>3</sup>Tokyo National College of Technology, Japan) (<sup>4</sup>Musashi Institute of Technology, Japan) 190

## BIOLOGICAL AND MEDICAL

## APPLICATIONS

### 14P-II-10 Cytotoxicity and Reactivity of Carbon Nanotubes

Yuriy I. Prylutskiy<sup>1</sup>, S. V. Prylutska<sup>2</sup>, I. I. Grynyuk<sup>2</sup>, O. P. Matyshevska<sup>2</sup>, O. V. Remenyaka<sup>2</sup>, A. P. Burlaka<sup>3</sup> (<sup>1</sup>Kiev National Shevchenko Univ., Ukraine) (<sup>2</sup>Kyiv National Shevchenko Univ., Dept. of Biochemistry, Kiev, Ukraine) (<sup>3</sup>R. E. Kavetsky Institute of Experimental Pathology, Oncology and Radiobiology, Kiev, Ukraine) 191

### 14P-II-11 Nanocarbon Materials for Noninstrumental Immunochemical Diagnostics

Valery Y. Dolmatov<sup>1</sup>, Irina Shugalei<sup>2</sup>, Nataliya Zhdanova<sup>2</sup>, Andrey Ivanov<sup>3</sup>, Eiji Osawa<sup>4</sup>, Nataliya Rozhkova<sup>5</sup>, Veronika Sokolova<sup>2</sup>, Tatijana Ilyushina<sup>2</sup>, Valery Marchukov<sup>1</sup> (<sup>1</sup>FSUP SCTB, Russia) (<sup>2</sup>Saint-Petersburg State Technology Institute (Technical Univ.), Russia) (<sup>3</sup>Saint-Petersburg Army Medical College, Russia) (<sup>4</sup>Shinshu Univ., Japan) (<sup>5</sup>Institute of Geology of Karelian Scientific Center, Russia) 192

### 14P-II-12 Adsorption of Double-stranded DNAs onto Multi-walled Carbon Nanotubes

Toru Maekawa<sup>1</sup>, Koji Ishii<sup>1</sup>, Takahiro Fukuda<sup>1</sup>, Mio Kojima<sup>1</sup>, Akira Inoue<sup>1</sup> (<sup>1</sup>Toyo Univ., Japan) 193

### 14P-II-13

(Withdrawn)

### 14P-II-14

(Withdrawn)

### 14P-II-15 The Influence of Silver Content and Biologically Active Layers on the Changes of Porous Structure and Sorption Capacity of Carbon Dressing Material

Krzysztof Babel<sup>1</sup>, Krzysztof Maria Babel<sup>2</sup>, Izabella Krucinska<sup>3</sup>, Eulalia Gliscinska<sup>3</sup> (<sup>1</sup>Institute of Chemical Technology of Wood, Academy of Agriculture, Poland) (<sup>2</sup>Agricultural Academy of Poznan, Poland) (<sup>3</sup>Technical Univ. of Lodz, Poland) 194

### 14P-II-16 Sorption of LRS Toxic Shock by Nanoparticles on Base of Carbonized Vegetable Raw Materials

Zulhair A Mansurov<sup>1</sup>, G Artmann<sup>2</sup>, A Artmann<sup>2</sup>, I Digel<sup>2</sup>, A Zhubanova<sup>1</sup>, A Kozhalakova<sup>1</sup> (<sup>1</sup>Al-Farabi Kazakh National Univ., Kazakhstan) (<sup>2</sup>Aachen Univ. of Applied Sciences, Germany) 195

### 14P-II-17 New Nanostructural Carbon-silica Sorbent for Bioregulators Purification

Zulhair A. Mansurov<sup>1</sup>, A. R. Kerimkulova<sup>1</sup>, M. A. Biisenbaev<sup>1</sup>, S. A. Ibragimova<sup>2</sup>, Zh N Basygaraev<sup>2</sup>, M. K. Gilmanov<sup>2</sup> (<sup>1</sup>Al-Farabi Kazakh National Univ., Kazakhstan) (<sup>2</sup>Institute of Molecular Biology and Biochemistry, Almaty, Kazakhstan) 195

### 14P-II-18 Micropatterned Fullerene C<sub>60</sub> and Hybrid

**C<sub>60</sub>/Ti Films as Substrates for Directed Cell Adhesion and Growth**

Lucie Bacakova<sup>1</sup>, Marta Vandrovцова<sup>1</sup>, Jiri Vacik<sup>1</sup>, Lubica Grausova<sup>1</sup>, Vaclav Svorcik<sup>2</sup>, Petr Slepicka<sup>2</sup>, Nikola Kasalkova<sup>2</sup>, Vladimir Vorlicek<sup>1</sup>, Vasily Lavrentiev<sup>1</sup>, Vaclav Vosecek<sup>1</sup>, Vera Lisa<sup>1</sup> (<sup>1</sup>Academy of Sciences of the Czech Republic, Czech Republic) (<sup>2</sup>Institute of Chemical Technology, Czech Republic) 196

**14P-II-19 Influence of Nanostructured and Hierarchically Micro-nanostructured Diamond Layers on the Growth and Differentiation of Osteoblast-like MG 63 Cells.**

Lucie Bacakova<sup>1</sup>, Lubica Grausova<sup>1</sup>, Alexander Kromka<sup>1</sup>, Milan Vanecek<sup>1</sup>, Vera Lisa<sup>1</sup> (<sup>1</sup>Academy of Sciences of the Czech Republic, Czech Republic) 197

**CHARACTERIZATION****14P-II-20 Quantitative and Qualitative Analysis Method of Surface Oxygen on Carbon Materials by Total-Electron-Yield Soft X-ray Absorption Spectroscopy Using Synchrotron Radiation**

Yasuji Muramatsu<sup>1</sup>, Satoshi Ueda<sup>1</sup>, Keishi Kamamoto<sup>1</sup>, Eric Gullikson<sup>2</sup> (<sup>1</sup>Univ. of Hyogo, Japan) (<sup>2</sup>Lawrence Berkeley National Laboratory, USA) 197

**14P-II-21 Structural Analysis of PPP-based Carbons for Electrode of Li Ion Batteries by High Energy X-ray**

Kyoichi Oshida<sup>1</sup>, Kozo Osawa<sup>1</sup>, Tatsuo Nakazawa<sup>1</sup>, Katsuyuki Fujiwara<sup>1</sup>, Takuya Hasegawa<sup>2</sup> (<sup>1</sup>Nagano National College of Technology, Japan) (<sup>2</sup>Shinshu Univ., Japan) 198

**14P-II-22 Electrical Resistance and Thermal Diffusivity of Isotropic Graphite Blocks under a High Temperature**

Norio Iwashita<sup>1</sup>, Fumito Morikawa<sup>2</sup> (<sup>1</sup>AIST, Japan) (<sup>2</sup>Nippon Techno-Carbon Co., Ltd, Japan) 198

**14P-II-23 Multivariate Analysis Applied to FTIR Spectroscopy of Petroleum Pitches**

Alexandre T. Castro (Centro Tecnológico do Exército, Brazil) 199

**14P-II-24 Raman Frequency of the G Band of Carbon Material Viewed as a Parameter for Graphitization**

Akira Yoshida<sup>1</sup>, Yutaka Kaburagi<sup>1</sup>, Yoshihiro Hishiyama<sup>1</sup> (<sup>1</sup>Musashi Institute of Technology, Japan) 199

**14P-II-25 Boron Doping of Multi-walled Carbon Nanotubes as Studied by EELS**

Emi Shindou<sup>1</sup>, Akira Yoshida<sup>1</sup>, Yutaka Kaburagi<sup>1</sup>, Yoshihiro Hishiyama<sup>1</sup> (<sup>1</sup>Musashi Institute of Technology, Japan) 200



## ***Poster Sessions TUESDAY, JULY 15, 2008***

### **18:20 – 20:30 POSTER SESSION 2**

**Hotel Metropolitan Room Asama C:  
15P-I**

#### ***ENVIRONMENT AND ENERGY***

**15P-I-01 Comparison of the Emissivity Changes due to Oxidation of Nuclear Graphites IG-11, IG-110 and PCEA**

Seung Kuk Seo<sup>1</sup>, Gyeong Hwa Kim<sup>1</sup>, Jae Seung Roh<sup>1</sup>, Se-Hwan Chi<sup>2</sup>, Eung Seon Kim<sup>2</sup> (<sup>1</sup>Kumoh National Institute of Technology, Korea) (<sup>2</sup>Korea Atomic Energy Research Institute (KAERI), Korea) 201

**15P-I-02 Measuring Cycle Efficiency and Capacitance of Chemically Activated Carbons**

Diego Cazorla-Amoros<sup>1</sup>, Dolores Lozano-Castello<sup>1</sup>, Emilia Morallon<sup>1</sup>, Angel Linares-Solano<sup>1</sup>, Soshi Shiraishi<sup>2</sup> (<sup>1</sup>Univ. of Alicante, Spain) (<sup>2</sup>Gunma Univ., Japan) 201

**15P-I-03 Activated Carbon Fiber for Super-capacitor Electrode**

Xuejun Zhang<sup>1</sup>, Qiufei Chen<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 202

**15P-I-04 Capacitive Deionization of NaCl Solution with Carbon Aerogel-phenolic Resin Composite Electrodes**

Qing-han Meng<sup>1</sup>, Ling Liu<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 202

**15P-I-05 Preparation of Activated Carbon from Industrial Wastewater Treatment Sludge and its Possible Use in Retention of Cr(VI) and Pb(II)**

Juan Moreno<sup>1</sup>, Liliana Giraldo<sup>2</sup>, Nestor Rojas<sup>3</sup>, Tomas Uribe<sup>3</sup>, Vanessa Garcia<sup>3</sup> (<sup>1</sup>Andes Univ., Colombia) (<sup>2</sup>Universidad Nacional de Colombia, Colombia) (<sup>3</sup>Universidad de Los Andes, Colombia) 203

**15P-I-06 Synthesis of Magnetically Separable Porous Carbon from Oil Residues**

Zheng-Hong Huang<sup>1</sup>, Can Li<sup>1</sup>, Feiyu Kang<sup>1</sup>, Jifeng Liang<sup>2</sup>, Yuzhen Zhang<sup>2</sup> (<sup>1</sup>Tsinghua Univ., China) (<sup>2</sup>China National Offshore Oil Corporation, China) 203

**15P-I-07 Titania Nanocrystal-bridged Carbon Nanosheet Composites**

Zheng-Ming Wang<sup>1</sup>, Yong-Jun Liu<sup>1</sup>, Mami Aizawa<sup>1</sup>, Wen-Qin Peng<sup>1</sup>, Hiroaki Hatori<sup>1</sup>, Hirofumi Kanoh<sup>2</sup>, Takahiro Hirotsu<sup>1</sup> (National Institute of Advanced Industrial Science and Technology, Japan) (<sup>2</sup>Chiba Univ., Japan) 204

**15P-I-08 Carbon Nanosheet-titania Nanoparticle Composite with Controlled Growth of Single Anatase**

**Phase**

Yong-Jun Liu<sup>1</sup>, Mami Aizawa<sup>1</sup>, Wen-Qin Peng<sup>1</sup>, Zheng-Ming Wang<sup>1</sup>, Hiroaki Hatori<sup>1</sup>, Hirofumi Kanoh<sup>2</sup>, Takahiro Hirotsu<sup>1</sup> (<sup>1</sup>National Institute of Advanced Industrial Science and Technology, Japan) (<sup>2</sup>Chiba Univ., Japan) 204

**15P-I-09 Improvement of Soil Quality around Red Pines in Forest by Sowing Biomass Charcoal Powder**

Shuji Yoshizawa<sup>1</sup>, Michio Ohata<sup>1</sup>, Satoko Tanaka<sup>1</sup>, Teiko Omori<sup>2</sup> (<sup>1</sup>Meisei Univ., Japan) (<sup>2</sup>Toho Univ., Japan) 205

**15P-I-10 Carbon/Graphite Composites from Carbonized Wood for Thermal Management Application of Solar Power Satellite**

Joko Sulistyono<sup>1</sup>, Toshimitsu Hata<sup>1</sup>, Masashi Fujisawa<sup>2</sup>, Kozo Hashimoto<sup>1</sup>, Yuji Imamura<sup>1</sup> (<sup>1</sup>Kyoto Univ., Japan) (<sup>2</sup>Akita Prefectural Univ., Japan) 205

**15P-I-11 A New Preparation Method of Carbon-Supported Platinum-Ruthenium Alloyed Nanoparticles for Direct Methanol Fuel Cells**

Ki Chul Park<sup>1</sup>, Shingo Morimoto<sup>2</sup>, Morinobu Endo<sup>1</sup> (Shinshu Univ., Japan) (<sup>2</sup>Nagano Techno Foundation, Japan) 206

**15P-I-12 Density Functional Simulation on Hydrogen Adsorption to Transition-metal-decorated Carbon Nanotube**

Syogo Tejima<sup>1</sup>, Terumi Huruta<sup>2</sup>, Hisashi Nakamura<sup>1</sup> (<sup>1</sup>Research Organization for Information Science and Technology (RIST), Japan) (<sup>2</sup>HONDA R&D Co., LTD, Japan) 206

### ***ADSORPTION, SURFACES AND POROUS MATERIALS***

**15P-I-13 The Effect of Acid Treatment of AECFs on Hydrogen Storage**

Ji Sun Im<sup>1</sup>, Ohseob Kwon<sup>1</sup>, Soo-Jin Park<sup>2</sup>, Young-Seak Lee<sup>1</sup> (<sup>1</sup>Chungnam National Univ., Korea) (<sup>2</sup>Inha Univ., Korea) 207

**15P-I-14 The Preparation and Characterization of Carbide-Derived Carbon Produced Using Metal Carbide for Hydrogen Storage**

Jeongmin Lee<sup>1</sup>, Ji Sun Im<sup>1</sup>, Young-seak Lee<sup>1</sup> (<sup>1</sup>Chungnam National Univ., Korea) 207

**15P-I-15 Preparation of PAN-based Porous Carbon Nanofibers Using MgO as the Substrate**

Min-Jung Jung<sup>1</sup>, Jeong-Min Lee<sup>1</sup>, Young-Seak Lee<sup>1</sup> (<sup>1</sup>Chungnam National Univ., Korea) 208

**15P-I-16 Surface Modification of ACFs for Hydrogen Storage**



Ohseob Kwon<sup>1</sup>, Ji Sun Im<sup>1</sup>, Soo-Jin Park<sup>2</sup>, Young-Seak Lee<sup>1</sup>  
(<sup>1</sup>Chungnam National Univ., Korea) (<sup>2</sup>Inha Univ., Korea) 208

**15P-I-17 Characterization of Polymer Carbon Sieves and Graphitized Polymer Carbons for Sample Preparation Applications**

William R. Betz<sup>1</sup>, Michael Keeler<sup>1</sup>, Leonard Sidisky<sup>1</sup>  
(<sup>1</sup>Supelco, USA) 209

**15P-I-18 Adsorption of Hydroxylated Phenols from Activated Carbons. Reaction between Adsorption Isotherms and Immersion Enthalpies**

Juan C Moreno<sup>1</sup>, Diego Blanco<sup>2</sup>, Liliana Giraldo<sup>2</sup> (<sup>1</sup>Andes Univ., Colombia) (<sup>2</sup>Universidad Nacional De Colombia, Colombia) 210

**15P-I-19 Preparation and Characterization of Carbon/TiO<sub>2</sub> Composites**

Won-Chun-Oh<sup>1</sup>, Ming-Liang Chen<sup>1</sup>, Young-Shin Ko<sup>1</sup>  
(Hanseu Univ., Korea) 210

**15P-I-20 Synthesis and Characterization of Fe Containing C/TiO<sub>2</sub> Composites and Their Degradation Effect for the Piggery Waste**

Won-Chun-Oh<sup>1</sup>, Wei-Wei Lu<sup>1</sup>, Chong-Hun Jung<sup>2</sup> (<sup>1</sup>Hanseu Univ., Korea) (<sup>2</sup>KAERI, Korea) 211

**15P-I-21 Characterization of Metal (Cu<sub>2</sub><sup>+</sup>, Zn<sub>2</sub><sup>+</sup>) Carbon/TiO<sub>2</sub> Composites Derived from Metal Containing Phenolic Resin and Their Photocatalytic Effects**

Won-Chun-Oh<sup>1</sup>, Yu-Ri Na<sup>1</sup>, Jang-Soon Bae<sup>2</sup> (<sup>1</sup>Hanseu Univ., Korea) (<sup>2</sup>Dankook Univ., Korea) 211

**15P-I-22 Thermodynamic Approach to Study Methane Adsorption on Microporous Carbons.**

Diego Cazorla-Amoros<sup>1</sup>, Juan Alcaniz-Monge<sup>1</sup>, Dolores Lozano-Castello<sup>1</sup>, Angel Linares-Solano<sup>1</sup> (<sup>1</sup>Univ. of Alicante, Spain) 212

**15P-I-23 A Simple Method to Disperse Graphene Sheets in Alcohol**

Bryan Tsu-Te Chu<sup>1</sup>, Vivian Chang<sup>1</sup>, Gordon Lee<sup>1</sup>, Edman Tsang<sup>1</sup>, Malcolm Green<sup>1</sup> (<sup>1</sup>Univ. of Oxford, UK) 212

**15P-I-24 How to Get Highly Concentrated Salt Solutions into Activated Carbon Pores: the Influence of Ion Size and Type on Their Interactions with Activated Carbon Surfaces**

Philippe Westreich<sup>1</sup>, Paul Filbee-Dexter<sup>1</sup>, Mark McArthur<sup>1</sup>, Ing-Jye Lan<sup>1</sup>, Jock Smith<sup>1</sup>, Jeff Dahn<sup>1</sup> (<sup>1</sup>Dalhousie Univ., Canada) 213

**15P-I-25 Removal of Zinc from Aqueous Solution by Adsorption onto Carbonaceous Materials Activated Using Oyster Shell**

Takashi Asada<sup>1</sup>, Masayuki Takano<sup>2</sup>, Yuri Igari<sup>2</sup>, Kuniaki Kawata<sup>2</sup>, Kikuo Oikawa<sup>2</sup> (<sup>1</sup>Fukushima Univ., Japan) (<sup>2</sup>Niigata Univ. of Pharmacy and Applied Life Sciences, Japan) 213

**15P-I-26 Removal of Free Chlorine and Chloramine with Bamboo Charcoal -Influence of Carbonization Temperature and pH of Solution-**

Takashi Asada<sup>1</sup>, Ayako Okazaki<sup>2</sup>, Kuniaki Kawata<sup>2</sup>, Kikuo Oikawa<sup>2</sup> (<sup>1</sup>Fukushima Univ., Japan) (<sup>2</sup>Niigata Univ. of Pharmacy and Applied Life Sciences, Japan) 214

**15P-I-27**

**(Withdrawn) Move to 15D-pm-05.**

## NANOTUBES

**15P-I-28 Comparative Photoluminescence Studies of Single- and Double-Wall Carbon Nanotube Suspensions**

Daisuke Shimamoto<sup>1</sup>, Yoong Ahm Kim<sup>1</sup>, Hiroyuki Muramatsu<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup>, Takuo Imanaga<sup>2</sup>, Takashi Kawasaki<sup>2</sup>, Teruyoshi Kita<sup>2</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Honda R&D Co., Ltd. Automobile R&D Center, Japan) 215

**15P-I-29 Surface Chemical and Textural Properties of Fluorinated MWCNTs at Various Temperatures**

Seung Hun Jeong<sup>1</sup>, Seok Min Yun<sup>1</sup>, Young-Seak Lee<sup>1</sup>  
(<sup>1</sup>Chungnam National Univ., Korea) 215

**15P-I-30 Fabrication of Carbon Nanotubes Through Metal-free Chemical Vapor Deposition**

Jarrn-Horng Lin<sup>1</sup>, Ching-Shiun Chen<sup>2</sup> (<sup>1</sup>National Univ. of Tainan, Taiwan) (<sup>2</sup>Chang Gung Univ., China) 216

**15P-I-31 Totally Dry Processing Purification of Arc-generated Single-wall Carbon Nanotubes**

Takashi Inoue<sup>1</sup>, Yuji Takimoto<sup>1</sup>, Naoto Ohta<sup>1</sup>, Tetsuro Tojo<sup>1</sup>  
(<sup>1</sup>Toyo Tanso Co., Ltd., Japan) 216

**15P-I-32 MP2 and SCC-DFTB-D Studies of Acetone Adsorption on Pristine and Oxidized SWNTs**

Yoshifumi Nishimura<sup>1</sup>, Stephan Irle<sup>1</sup> (Nagoya Univ., Japan) 217

**15P-I-33 Polymeric Composite Films Containing Modified BN Nanotubes as Fillers**

Takeshi Terao<sup>1</sup>, Yoshio Bando<sup>1</sup>, Masanori Mitome<sup>2</sup>, Chunyi Zhi<sup>2</sup>, Chengchun Tang<sup>2</sup>, Dmitri Golberg<sup>1</sup> (<sup>1</sup>Univ. of Tsukuba and National Institute for Materials Science, Japan) (<sup>2</sup>National Institute for Materials Science, Japan) 217

**15P-I-34 Control of Orientation of Carbon Nanotubes Using High Magnetic Fields**

Akio Katsuki<sup>1</sup>, Hiromi Yamamoto<sup>2</sup>, Yoshihisa Fujiwara<sup>2</sup>, Masao Fujiwara<sup>2</sup>, Morinobu Endo<sup>1</sup>, Yoshifumi Tanimoto<sup>2</sup>  
(<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Hiroshima Univ., Japan) 218

**15P-I-35 Application of Multi-walled Carbon Nanotubes (MWCNTs) for Heterojunction Photovoltaic Device**

Golap Kalita<sup>1</sup>, Sudip Adhikari<sup>1</sup>, Hare Ram Aryal<sup>1</sup>, Rakesh Afre<sup>2</sup>, Tetsuo Soga<sup>2</sup>, Maheshwar Sharon<sup>3</sup>, Masayoshi Umeno<sup>1</sup> (<sup>1</sup>Chubu Univ., Japan) (<sup>2</sup>Nagoya Institute of Technology, Japan) (<sup>3</sup>Birla College, India) 218

**15P-I-36 Characterization and Dispersion Properties of Single-Walled Carbon Nanotubes/Poly(ethylene oxide) Composites**

Yong Chae Jung<sup>1</sup>, Yoong Ahm Kim<sup>1</sup>, Daisuke Shimamoto<sup>1</sup>, Hiroyuki Muramatsu<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 219

**15P-I-37 Study the Growth Mechanisms of Y-type Carbon Nanotubes**

Yongzhen Wang (College of Materials Science and Engineering, Taiyuan Univ. of Technology, China) 219

**15P-I-38 Simulations of Continuous Flow through Carbon Nanotubes**

James J Cannon<sup>1</sup>, Ortwin Hess<sup>1</sup> (<sup>1</sup>Univ. of Surrey, UK) 220

**15P-I-39 Visible Luminescence of Functionalized Single Walled Carbon Nanotubes**

Kazuhiro Kainuma<sup>1</sup>, Yoshiyuki Hattori<sup>1</sup>, Fujio Okino<sup>1</sup>, Kunimitsu Takahashi<sup>2</sup>, Tomonori Ohba<sup>3</sup>, Hirofumi Kanoh<sup>3</sup>, Katsumi Kaneko<sup>3</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Institute of Research and Innovation, Japan) (<sup>3</sup>Chiba Univ., Japan) 220

**15P-I-40 Novel CVD Growth of Boron-doped Multi-walled Carbon Nanotubes**

Tohru Watanabe<sup>1</sup>, Satoshi Ishii<sup>1</sup>, Syunsuke Tsuda<sup>1</sup>, Takahide Yamaguchi<sup>1</sup>, Yoshihiko Takano<sup>1</sup> (<sup>1</sup>National Institute for Material Science, Japan) 221

**15P-I-41 Probing the Structural and Electronic Properties of HgTe-filled SWNTs by Scanning Tunneling Microscopy and Spectroscopy**

Yann Tison<sup>1</sup>, Cristina Giusca<sup>2</sup>, Daniel Henwood<sup>2</sup>, David Carey<sup>2</sup>, Jeremy Sloan<sup>2</sup>, S. Ravi P. Silva<sup>2</sup> (<sup>1</sup>Technical Univ. of Denmark, Denmark) (<sup>2</sup>Univ. of Surrey, UK) 221

**15P-I-42 Kinetics Study on the SWNTs Synthesis by the CVD of Methane on a Nanoporous CoMo/MgO Supported Catalyst**

Ali Morad Rashidi<sup>1</sup>, Nosrat Ezadi<sup>1</sup>, Bahman Amini Horri<sup>1</sup> (<sup>1</sup>Research Institute of Petroleum Industry, Iran) 222

**15P-I-43 Platinum Nanoparticles Decorated Multi-walled Carbon Nanotubes as Electrodes for Polymer Electrolyte Membrane Fuel Cell**

Savita P Somani<sup>1</sup>, Prakash Somani<sup>1</sup>, A. Sato<sup>1</sup>, Masayoshi Umeno<sup>1</sup> (<sup>1</sup>Chubu Univ., Japan) 222

**15P-I-44 Thermal Stability of Peapod-derived Double Walled Carbon Nanotubes.**

Hiroyuki Muramatsu<sup>1</sup>, Yoong Ahm Kim<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 223

**15P-I-45 A Computational Approach to Reduce the Time for Innovative Finding of Nano Carbon Field**

Kazuo Minami<sup>1</sup>, Syogo Tejima<sup>1</sup>, Mikio Iizuka<sup>1</sup>, Hisashi Nakamura<sup>1</sup> (<sup>1</sup>RIST, Japan) 223

**15P-I-46 Laser Enhanced Dispersion of Carbon Nanotubes in Acetonitrile**

Nobuaki Tanaka<sup>1</sup>, Hiromasa Nishikiori<sup>1</sup>, Atsushi Inuma<sup>1</sup>, Morinobu Endo<sup>1</sup>, Tsuneo Fujii<sup>1</sup> (Shinshu Univ., Japan) 224

**15P-I-47 CdSe Nanoparticles Decorated on Fluorinated Double Walled Carbon Nanotubes**

Yoong Ahm Kim<sup>1</sup>, Hiroyuki Muramatsu<sup>1</sup>, Daisuke Shimamoto<sup>1</sup>, Ki Chul Park<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Yasunori Saito<sup>1</sup>, Morinobu Endo<sup>1</sup>, Fujio Okino<sup>1</sup>, Hidekazu Touhara<sup>1</sup>, Mauricio Terrones<sup>2</sup>, Mildred Dresselhaus<sup>3</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>IPICT, Mexico) (<sup>3</sup>MIT, USA) 224

## NANOFORMS

**15P-I-48 The Atmospheric Effect on the Nano-Structuring of Graphite during Milling**

Takayuki Ichikawa<sup>1</sup>, Wataru Ishida<sup>1</sup>, Shigehito Isobe<sup>1</sup>, Hiroki Miyaoka<sup>1</sup>, Yoshitsugu Kojima<sup>1</sup> (<sup>1</sup>Hiroshima Univ., Japan) 225

**15P-I-49 Electrical Transport and Superconductivity in Reduced Dimension: Studies of Graphitic Nanostructures**

Nicholas E Shuttleworth<sup>1</sup>, Mark Ellerby<sup>1</sup>, Paul Warburton<sup>1</sup> (<sup>1</sup>UCL, UK) 225

**15P-I-50 Iron Effect for Hydrogen Absorption and Desorption Properties of Ball-milled Graphite**

Hiroki Miyaoka<sup>1</sup>, Takayuki Ichikawa<sup>1</sup>, Shigehito Isobe<sup>1</sup>, Yoshitsugu Kojima<sup>1</sup> (<sup>1</sup>Hiroshima Univ., Japan) 226

**15P-I-51 Creation of C<sub>60</sub>-clusters in Near-critical Fluids**

Toru Maekawa<sup>1</sup>, Takahiro Fukuda<sup>1</sup>, Shunji Kurosu<sup>1</sup>, Raymond Whitby<sup>2</sup> (<sup>1</sup>Toyo Univ., Japan) (<sup>2</sup>School of Pharmacy and Biomolecular Sciences, Brighton, UK) 226

**15P-I-52 Preparation and Characterization of Lignin-Based Pt-Carbon Nanofibers**

José Rodríguez-Mirasol<sup>1</sup>, Ramiro Ruiz-Rosas<sup>1</sup>, Jorge Bedia<sup>1</sup>, Tomás Cordero<sup>1</sup>, Manuel Lallave<sup>2</sup>, Ignacio Loscertales<sup>1</sup>, Antonio Barrero<sup>3</sup> (<sup>1</sup>Univ. of Málaga, Spain) (<sup>2</sup>YFLOW S.L., Parque Tecnológico de Andalucía, Málaga, Spain) (<sup>3</sup>Univ. of Sevilla, Spain) 227

**15P-I-53 Effect of Series Resistance on Field Emission Characteristics of Nanocarbon Film**

Kiichi Kamimura<sup>1</sup>, Kei Miyazaki<sup>1</sup>, Yoshiyuki Taguchi<sup>1</sup>, Tomohiko Yamakami<sup>1</sup>, Rinpei Hayashibe<sup>1</sup>, Katsuya Abe<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 227

**15P-I-54 In-situ Synthesis of Magnetically Separable Ordered Mesoporous Carbons from F<sub>127</sub>/[Ni(H<sub>2</sub>O)<sub>6</sub>](NO<sub>3</sub>)<sub>2</sub>/resorcinol-formaldehyde Composites**

Huaihe Song<sup>1</sup>, Jingyuan Yao<sup>1</sup>, Huaihe Song<sup>1</sup>, Lixia Li<sup>1</sup>,

Changyi Liu<sup>1</sup>, Xiaohong Chen<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 228

National College of Technology, Japan) (<sup>2</sup>Shinshu Univ, Japan) (<sup>3</sup>CNRS-Univ. Orléans, USA) 232

## ***ELECTROCHEMISTRY, BATTERIES AND CAPACITORS***

**15P-I-55 Novel Carbon-based Monoliths as Attractive Electrode for Supercapacitors**

Vanessa Ruiz<sup>1</sup>, C. Blanco<sup>1</sup>, R. Santamaría<sup>2</sup>, J. Ramos-Fernández<sup>2</sup>, M. Martínez-Escandell<sup>2</sup>, F. Rodríguez-Reinoso<sup>2</sup> (<sup>1</sup>Instituto Nacional of Carbon, CSIC, Spain) (<sup>2</sup>Universidad de Alicante, Spain) 228

**15P-I-56 An Attempt to Apply Si-C-O Glass-like Compounds for Lithium Ion Hybrid Capacitors**

Hidetaka Konno<sup>1</sup>, Takashi Kasashima<sup>1</sup> (<sup>1</sup>Hokkaido Univ., Japan) 229

**15P-I-57 An Investigation on the Oxygen Diffusion in Carbon Materials**

Hongda Du<sup>1</sup>, Baohua Li<sup>1</sup>, Feiyu Kang<sup>1</sup> (<sup>1</sup>Tsinghua Univ., China) 229

**15P-I-58 Study of Electrochemical Characteristics of Supercapacitor Using Nanogate Carbon**

Wenming Qiao<sup>1</sup>, Guo Cheng<sup>1</sup>, Na Teng<sup>1</sup>, Yingbo Xie<sup>1</sup>, Rui Zhang<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 230

**15P-I-59 Effect of Ball-milling on the Pore Structure and Electrochemical Properties of Activated Carbon**

Wenming Qiao<sup>1</sup>, Liang Zhan<sup>1</sup>, Liming Zhang<sup>1</sup>, Rui Zhang<sup>1</sup>, Xiaoyi Liang<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 230

**15P-I-60 Effect of High Temperature Treatment on the Pore Texture and Electric Properties of Activated Carbon**

Wenming Qiao<sup>1</sup>, Liang Zhan<sup>1</sup>, Liming Zhang<sup>1</sup>, Rui Zhang<sup>1</sup>, Xiaoyi Liang<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 231

**15P-I-61 The Effect of Surface Chemistry of Activated Carbon on its Electrochemical Properties**

Wenming Qiao<sup>1</sup>, Yingbo Xie<sup>1</sup>, Rui Zhang<sup>1</sup>, Liang Zhan<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 231

**15P-I-62 Electrochemical Performance of Carbon Nanofiber Anode for Lithium Ion Batteries**

Wenming Qiao<sup>1</sup>, Hongpeng Liu<sup>1</sup>, Rui Zhang<sup>1</sup>, Liang Zhan<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 232

**15P-I-63 Properties of Carbon Nano-composites for Electrodes of Lithium Ion Battery**

Kozo Osawa<sup>1</sup>, Kyoichi Oshida<sup>1</sup>, Tatsuo Nakazawa<sup>1</sup>, Takuya Hasegawa<sup>2</sup>, Morinobu Endo<sup>2</sup>, Sylvie Bonnamy<sup>3</sup> (<sup>1</sup>Nagano

**15P-I-64 Formation of Cathodic Oxygen Reduction Catalyst with FeN<sub>x</sub> Active Site Using a Raw Material for Phthalocyanine Synthesis**

Nobutaka Fukui<sup>1</sup>, Jun Maruyama<sup>2</sup>, Masayuki Kawaguchi<sup>1</sup>, Ikuo Abe<sup>2</sup> (<sup>1</sup>Osaka Electro-Communication Univ., Japan) (<sup>2</sup>Osaka Municipal Technical Research Institute, Japan) 233

**15P-I-65 Performance of Carbon Supercapacitors Using RTIL Electrolytes**

Anthony G. Pandolfo<sup>1</sup>, Claude Sacchetta<sup>1</sup>, Graeme Snook<sup>1</sup>, Gregory Wilson<sup>1</sup> (<sup>1</sup>CSIRO - Energy Technology, Australia) 233

**15P-I-66 Preparation and Characterization of High-Power Anode Materials Using**

Myung Soo Kim<sup>1</sup>, Dae-Yong Park<sup>1</sup>, Yun-Soo Lim<sup>1</sup> (<sup>1</sup>Myongji Univ., Korea) 234

**15P-I-67 Electrochemical Properties of a New Kind of Fluorocarbon Materials Prepared by ECR Sputtering Method**

Yoshiyuki Hattori<sup>1</sup>, Yuji Tamai<sup>1</sup>, Yuta Okuno<sup>1</sup>, Yuki Hosoda<sup>1</sup>, Yukari Shibuya<sup>1</sup>, Fujio Okino<sup>1</sup>, Tomoyuki Kamata<sup>2</sup>, Shigeru Umemura<sup>2</sup>, Shigeru Hirono<sup>3</sup>, Osamu Niwa<sup>4</sup>, Hidekazu Touhara<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Chiba Institute of Technology, Japan) (<sup>3</sup>MES AFTY Corporation, Japan) (<sup>4</sup>National Institute of Advanced Industrial Science and Technology (AIST), Japan) 234

**15P-I-68 The Performance of DMFC Anode Catalysts Supported on High Dispersed Very Thin Carbon Nanofibers using Nano-dispersion Apparatus.**

Munsuk Jun<sup>1</sup>, Seong-Hwa Hong<sup>1</sup>, Seong-Ho Yoon<sup>1</sup>, Masaharu Tsuji<sup>1</sup>, Isao Mochida<sup>1</sup> (<sup>1</sup>Kyushu Univ., Japan) 235

## ***CARBON FIBERS AND COMPOSITES***

**15P-I-69 Preparation and Performance of Mesophase Pitch Based Graphite Foam**

Wenming Qiao<sup>1</sup>, Liang Zhan<sup>1</sup>, Xiaojun Wang<sup>1</sup>, Junhe Yang<sup>2</sup>, Rui Zhang<sup>1</sup>, Xiaoyi Liang<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) (<sup>2</sup>Shanghai Institute of Technology, China) 235

**15P-I-70 Nanostructured Carbon Nanotubes/Organic Semiconductor Hybrid Multilayers Prepared Using Layer-by-Layer Self-Assembly Approach**

Akira Baba<sup>1</sup>, Yoshinori Kanetsuna<sup>1</sup>, Taihei Matsuzawa<sup>1</sup>, Yasuo Ohdaira<sup>1</sup>, Kazunari Shinbo<sup>1</sup>, Keizo Kato<sup>1</sup>, Futao Kaneko<sup>1</sup> (<sup>1</sup>Niigata Univ., Japan) 236

**15P-I-71 Size Effect of Palladium Particles on Carbon Nanofiber for Heck Reaction**

Jun Zhu<sup>1</sup>, Tiejun Zhao<sup>2</sup>, Jinghong Zhou<sup>1</sup>, Xinggui Zhou<sup>1</sup>, De Chen<sup>2</sup>, Weikang Yuan<sup>1</sup> (<sup>1</sup>East China Univ. of Science and

Technology, China) (<sup>2</sup>Norwegian Univ., Norway) 236

**15P-I-72 Characterization Textural, Structural and Calorimetric of Activated Carbons Cloths Prepared from Cotton Textiles**

Juan C. Moreno<sup>1</sup>, Gyovanny Rodriguez<sup>2</sup>, Liliana Giraldo<sup>2</sup> (<sup>1</sup>Andes Univ., Colombia) (<sup>2</sup>Universidad Nacional de Colombia, Colombia) 237

**15P-I-73 One-dimensional Array of Graphitic Cones in Vertically Aligned Carbon Nanofibers**

Akira Koshio<sup>1</sup>, Yuta Tango<sup>1</sup>, Takayuki Yamasaki<sup>1</sup>, Kentaro Suzuki<sup>1</sup>, Fumio Kokai<sup>1</sup> (<sup>1</sup>Mie Univ., Japan) 237

**15P-I-74 Rheostructural Studies of Mesophase Pitch Using WAXD and Microscopy**

Amod A. Ogale<sup>1</sup>, Santanu Kundu<sup>1</sup>, Sungho Lee<sup>1</sup>, David Anderson<sup>2</sup> (<sup>1</sup>Clemson Univ., USA) (<sup>2</sup>UDRI, USA) 238

**15P-I-75 Thermal Characteristics and Electrical Resistivity of Carbon Nanofiber Web/Polymer Composites**

Donghwan Cho<sup>1</sup>, Sung Hwan Kim<sup>1</sup>, Chae Wook Cho<sup>1</sup>, Jae Young Lee<sup>1</sup>, Oh-Hyeong Kwon<sup>1</sup> (<sup>1</sup>Kumoh National Institute of Technology, Korea) 238

**15P-I-76 Influence of Chemical Cross-linking on the Over Voltage Positive Temperature Coefficient of Linear Low Density Polyethylene/Carbon Black/Aluminum hydroxide Composites**

Tsai Ching-Shan<sup>1</sup>, Huang Chi-Yuan<sup>1</sup>, Tsao Keng-Yu<sup>1</sup>, (<sup>1</sup>Tatung Univ., Taiwan) 239

**15P-I-77 Application of Micro-capsulation Technology in the Preparation of a Carbon Foam**

Kezhi Li<sup>1</sup>, Zhenhai Shi<sup>1</sup>, Hejun Li<sup>1</sup>, Zhuo Tian<sup>1</sup>, Chuang Wang<sup>1</sup> (<sup>1</sup>Northwestern Polytechnical Univ., China) 239

**15P-I-78 Synergistic Effect of Carbon Fibers and Dicyclopentadienyl Iron on the Electromagnetic Interference of Carbon-cement Composites**

Kezhi Li<sup>1</sup>, Chuang Wang<sup>1</sup>, Hejun Li<sup>1</sup>, Gengsheng Jiao<sup>1</sup> (<sup>1</sup>Northwestern Polytechnical Univ., China) 240

**15P-I-79 Synthesis and Properties of VGCF Composites with Metal Nanoparticles**

Katsuyuki Fujiwara<sup>1</sup>, Tomoyuki Itaya<sup>1</sup>, Kyoichi Oshida<sup>1</sup> (<sup>1</sup>Nagano National College of Technology, Japan) 240

**15P-I-80 Tube-like Carbon Fiber Fabricated by Carbonization of Wood**

Michio Ohata<sup>1</sup>, Noriko Yoshizawa<sup>2</sup>, Shuji Yoshizawa<sup>1</sup> (<sup>1</sup>Meisei Univ., Japan) (<sup>2</sup>AIST, Japan) 241

**15P-I-81 Coating of Short Carbon Fibers with Silicon Carbide and Pyrolytic Carbon Layers**

Haibo Ouyang<sup>1</sup>, Hejun Li<sup>1</sup>, Lehua Qi<sup>1</sup>, Zhengjia Li<sup>1</sup>, Jian Wei<sup>1</sup>, Jianfeng Wei<sup>1</sup> (<sup>1</sup>Northwestern Polytechnical Univ., China) 241

**15P-I-82 Pullout Behavior of Carbon Nanotube-attached Carbon Fibers**

Wen-Shyong Kuo<sup>1</sup>, Tse-Hao Ko<sup>1</sup>, Kai-Hsuan Hung<sup>1</sup>, Ciao-Fang Yan<sup>1</sup> (<sup>1</sup>Feng Chia Univ., Taiwan) 242

**15P-I-83 Mechanical Interfacial Properties of Oxyfluorinated Carbon Fibers-reinforced Composites**

Woong Ki Choi<sup>1</sup>, Byung-Gak Min<sup>2</sup>, Soo-Jin Park<sup>3</sup> (<sup>1</sup>KRICT, Korea) (<sup>2</sup>Chungju National Univ., Korea) (<sup>3</sup>Inha Univ., Korea) 242

**15P-I-84 A Novel Synthesis of Carbon Precursors by Suspension Polymerization**

Jung Min Lee<sup>1</sup>, Joon Hyung Kim<sup>1</sup>, Shin Jae Kang<sup>1</sup>, Soo-Jin Park<sup>2</sup> (<sup>1</sup>Jeonju Machinery Research Center, Korea) (<sup>2</sup>Inha Univ., Korea) 243

**15P-I-85 High Thermal Performance Nanocomposite with Polybenzimidazole (PBI) and VGNF**

Qing-Qing Ni<sup>1</sup>, Li Zhang, Toshiaki Natsuki<sup>1</sup>, Akihiko Shiga<sup>2</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>AZ Electronic Materials, Japan) 243

**15P-I-86 Development of CNFs/Natural Rubber Composite**

Qing-Qing Ni<sup>1</sup>, Hongxia Jiang<sup>1</sup>, Toshiaki Natsuki<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 244

**15P-I-87 High Frequency Viscoelastic Properties of Nanocomposites by Ultrasonic Measurement**

Qing-Qing Ni<sup>1</sup>, Tetsuya Kunizawa<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 244

**15P-I-88 Development of Functionally Graded Al/CNTs Composite**

Qing-Qing Ni<sup>1</sup>, Kouhei Kubota<sup>1</sup>, Isao Nakamura<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 244

**15P-I-89 Electrochemical Performance of Free Standing Porous Carbon Nanofibers of Polyacrylonitrile Containing Iron-Oxide**

S. K. Nataraj<sup>1</sup>, Bo-Hey Kim<sup>1</sup>, B. T. N. Ngoc<sup>1</sup>, Dong Hun Lee<sup>1</sup>, John P. Ferraris<sup>2</sup>, Kap Seung Yang<sup>1</sup> (<sup>1</sup>Chonnam National Univ., Korea) (<sup>2</sup>Univ. of Texas at Dallas, USA) 245

**15P-I-90 Morphology and Thermal Properties of MWCNT/Elastomer Nanocomposites**

Hiroyuki Ueki<sup>1</sup>, Shigeki Inukai<sup>1</sup>, Akira Magario<sup>1</sup>, Toru Noguchi<sup>1</sup>, Morinobu Endo<sup>2</sup> (<sup>1</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>2</sup>Shinshu Univ., Japan) 245

**15P-I-91 Application to High Damping Material of MWNT/elastomer Nanocomposite**

Yuichi Nakamura<sup>1</sup>, Takashi Yazaki<sup>1</sup>, Katsuo Okamoto<sup>1</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>3</sup>, Morinobu Endo<sup>3</sup> (<sup>1</sup>Miyasaka Rubber Co. Ltd., Japan) (<sup>2</sup>Nissin Kogyo Co. Ltd., Japan) (<sup>3</sup>Shinshu Univ., Japan) 246

## Hotel Metropolitan Room Kurohime: 15P-II

### *PHYSICAL PROPERTIES*

#### 15P-II-01 The Rheological Behavior of Petroleum Pitches during Pyrolysis

Alexandre T. Castro<sup>1</sup>, Carolina P. Braga<sup>1</sup>, Carlos Henrique MC Dutra<sup>1</sup>, Luiz D. Castro<sup>1</sup>, Cristina T. Andrade<sup>2</sup> (<sup>1</sup>Centro Tecnológico do Exército, Brazil) (<sup>2</sup>Federal do Rio de Janeiro Univ., Brazil) 246

#### 15P-II-02 Quantification of Mesophase in Pitches by Centrifugation

Alexandre T. Castro<sup>1</sup>, Carlos Henrique MC Dutra<sup>1</sup>, Luiz C. Freitas<sup>1</sup>, Fabio F Pereira<sup>1</sup> (<sup>1</sup>Centro Tecnológico do Exército, Brazil) 247

#### 15P-II-03 Synthesis and Performance of Powdered Fe/C Composite from Oil Residues

Chen Wang<sup>1</sup>, Can Li<sup>1</sup>, Zheng-Hong Huang<sup>1</sup>, Feiyu Kang<sup>1</sup>, Jialin Gu<sup>1</sup> (<sup>1</sup>Tsinghua Univ., China) 247

#### 15P-II-04 Effects of Ion Acceleration Voltages on the Synthesis of Conductive and Hard Fluorinated Carbon Thin Films in Electron Cyclotron Resonance Plasma Sputtering

Tomoyuki Kamata<sup>1</sup>, Hirokazu Kawase<sup>1</sup>, Tetsuya Itagaki<sup>1</sup>, Yukihiko Kawashima<sup>1</sup>, Shigeru Uemura<sup>1</sup>, Shigeru Hirono<sup>2</sup>, Hidekazu Touhara<sup>3</sup>, Fujio Okino<sup>3</sup>, Yoshiyuki Hattori<sup>3</sup>, Osamu Niwa<sup>3</sup> (<sup>1</sup>Chiba Institute of Technology, Japan) (<sup>2</sup>MES AFTY Corporation, Japan) (<sup>3</sup>Shinshu Univ., Japan) 248

#### 15P-II-05 Metastable Melting of Graphite under Diamond Stable P-T Region

Motohiro Togaya (Osaka Univ., Japan) 248

#### 15P-II-06 Tribological Properties of Carbon Onions as Lubricant Additives

Xiaomin Wang<sup>1</sup>, Yanli Yao<sup>1</sup>, Junjie Guo<sup>1</sup>, Bingshe Xu<sup>1</sup> (<sup>1</sup>Taiyuan Univ. of Technology, China) 249

#### 15P-II-07 Effect of Fast Neutron Irradiation on the Superconducting Characteristics of Rb<sub>3</sub>C<sub>60</sub>

Toshiharu Kubo<sup>1</sup>, Takayuki Terai<sup>1</sup>, Akihiro Suzuki<sup>1</sup>, Noriko Tikumoto<sup>2</sup> (<sup>1</sup>The Univ. of Tokyo, Japan) (<sup>2</sup>Superconductivity Research Laboratory, ISTEC, Japan) 249

#### 15P-II-08 Electrical and Structural Properties of Metal Incorporated Amorphous Carbon Films

Sudip Adhikari<sup>1</sup>, Golap Kalita<sup>1</sup>, Hare Ram Aryal<sup>1</sup>, Dilip Chandra Ghimire<sup>1</sup>, Hideo Uchida<sup>1</sup>, Masayoshi Umeno<sup>1</sup> (<sup>1</sup>Chubu Univ., Japan) 250

#### 15P-II-09 Unpaired Electrons Relaxation Characteristics and the Pitch-based Fibers Basic Units Adjustment

Alexander A. Blizniyk<sup>1</sup>, Victor P. Berveno<sup>1</sup>, Lyudmila V. Bryuhoveckaya<sup>1</sup> (<sup>1</sup>ISSCM, SB RAS, Russia) 250

#### 15P-II-10 Synthesis and Morphology of Carbon Microcoils Produced from Methane

Shaoming Yang<sup>1</sup>, Xiuqin Chen<sup>2</sup>, S. Motojima<sup>1</sup> (<sup>1</sup>Gifu Univ., Japan) (<sup>2</sup>Tokyo Univ. of Science, Japan) 251

#### 15P-II-11 Properties of Light Metal Infiltrated Graphites

Joachim Metz<sup>1</sup>, Matthias Wimpler<sup>1</sup> (<sup>1</sup>Schunk Kohlenst offttechnik GmbH, Germany) 251

#### 15P-II-12

**(Withdrawn)**

#### 15P-II-13 Defects in Graphite and Their Effect on Phonon Spectra

Thomas E Weller<sup>1</sup>, Steven M Bennington<sup>1</sup>, Ayano Chiba<sup>1</sup>, Daniele Pontiroli<sup>2</sup> (<sup>1</sup>ISIS, RAL, UK) (<sup>2</sup>Univ. of Parma, Italy) 252

#### 15P-II-14 Micro and Mesoporous Activated Carbon Made from Rice Husk and Beet Sugar

Hirotaaka Ishizawa<sup>1</sup>, Junya Sasaki<sup>1</sup>, Seiji Kumagai<sup>1</sup>, Koichi Takeda<sup>1</sup>, Yasuhiro Toida<sup>2</sup> (<sup>1</sup>Akita Prefectural Univ., Japan) (<sup>2</sup>Japan Energy Corporation, Japan) 252

#### 15P-II-15

**(Withdrawn)**

#### 15P-II-16

**(Withdrawn)**

### *INDUSTRIAL APPLICATIONS*

#### 15P-II-17 Application of Metal-impregnated Carbon-carbon Composite to Contact Strips of Pantograph of Electric Railway Vehicles

Shunichi Kubo<sup>1</sup>, Hiroshi Tsuchiya<sup>1</sup>, Yoshitaka Kubota<sup>1</sup> (<sup>1</sup>Railway Technical Research Institute, Japan) 254

#### 15P-II-18 Electroconductive Properties of Wood Char Prepared by Nickel- and Iron-catalyzed Carbonization

Tsutomu Suzuki<sup>1</sup>, Hiroshi Matsuzaki<sup>1</sup>, Kyoko Suzuki<sup>1</sup>, Yukie Saito<sup>2</sup> (<sup>1</sup>Kitami Institute of Technology, Japan) (<sup>2</sup>The Univ. of Tokyo, Japan) 254

#### 15P-II-19 Fabrication and Properties of Graphite Flakes/Metal Composites for Thermal Management Applications

Javier Narciso<sup>1</sup>, Jose M Molina<sup>1</sup>, Richard Prieto<sup>1</sup>, Enrique Louis<sup>1</sup> (<sup>1</sup>Alicante Univ., Spain) 255

#### 15P-II-20 Adherent Carbon-based Films Exhibiting High Electrical Conductivity

Yasuhiro Yamada<sup>1-3</sup>, Deborah D. L. Chung<sup>1</sup> (<sup>1</sup>Univ. of New York, U.S.A) (<sup>2</sup>Nippon Chemi-Con Corporation) (<sup>3</sup>AIST, Japan) 255

15P-II-21

**(Withdrawn)****15P-II-22 A Study on PTC/NTC Behaviors of CBs/Ionomer/HDPE Composites**

Jeon-Mo Choi<sup>1</sup>, Jae-Rock Lee<sup>2</sup>, Soo-Jin Park<sup>3</sup> (<sup>1</sup>Chungnam National Univ., Korea) (<sup>2</sup>Korea Research Institute of Chemical Technology, Korea) (<sup>3</sup>Inha Univ., Korea) 256

**15P-II-23 The Characterization of the Resin Bonded Graphite Composite Bipolar Plate Using Isotropic Graphite Powder for PEM Fuel Cell**

Kwang Youn – Cho<sup>1</sup>, Doh Hyung - Riu<sup>1</sup>, Seung Hun - Huh<sup>1</sup>, Dong Guen - Shin<sup>1</sup> (<sup>1</sup>Korea Institute of Ceramic Engineering and Technology, Korea) 257

**CHARACTERIZATION****15P-II-24 Preparation of Activated Carbon from Industrial Wastewater Treatment Sludge and Its Possible Use in Retention of Cr (6) and Pb (2)**

Juan C Moreno<sup>1</sup>, Liliana Giraldo<sup>2</sup>, Nestor Rojas<sup>3</sup>, Tomas Uribe<sup>3</sup>, Vanessa S. Garcia<sup>3</sup> (<sup>1</sup>Andes Univ., Colombia) (<sup>2</sup>Universidad Nacional de Colombia., Colombia) (<sup>3</sup>Universidad de Los Andes., USA) 257

**15P-II-25 Surface Characterization of Carbon Nanoribbon**

Yu Okuno<sup>1</sup>, Tomonori Ohba<sup>1</sup>, Hirofumi Kanoh<sup>1</sup>, Jessica R. Campos Delgado<sup>2</sup>, José M. Romo Herrera<sup>2</sup>, Humberto Terrones<sup>2</sup>, Mauricio Terrones<sup>2</sup>, Kastsumi Kaneko<sup>1</sup> (<sup>1</sup>Chiba Univ., Japan) (<sup>2</sup>IPICT, Mexico) 258

**15P-II-26 Solid State NMR Study of Carbon Nanodiamonds Produced by Detonation Technique**

Marc Dubois<sup>1</sup>, Naoki Komatsu<sup>2</sup>, Katia Guérin<sup>3</sup>, André Hamwi<sup>3</sup>, Jérôme Giraudet<sup>4</sup>, Francis Masin<sup>4</sup> (<sup>1</sup>Université Blaise Pascal, Clermont-Ferrand, France) (<sup>2</sup>Shiga Univ., Japan) (<sup>3</sup>Clermont Université, France) (<sup>4</sup>Université Libre de Bruxelles, France) 258

**15P-II-27 The Characterization of out-of-order Structure in Carbon Fiber Paper by Fractal Dimension**

Xuejun Zhang<sup>1</sup>, Hao Pei<sup>1</sup>, Zengmin Shen<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology<sup>1</sup>, China) 259

**15P-II-28 Microstructural Changes of Nuclear Graphites due to a 3 MeV Proton Irradiation**

Eung-Seon Kim<sup>1</sup>, Yong-Wan Kim<sup>1</sup> (<sup>1</sup>Korea Atomic Energy Research Institute, Korea) 259

**15P-II-29 Using the Density Functional Theory for the Pore Structure Analysis of Ordered Microporous Carbons: Effects of the Pore Walls Curvature**

Jacek Jagiello<sup>1</sup>, Roland J.-M. Pellenc<sup>2</sup> (<sup>1</sup>The Univ. of Kentucky, U.S.A) (<sup>2</sup>CNRS, France) 260



**Poster Sessions WEDNESDAY, JULY 16, 2008**

**18:20 – 20:30 POSTER SESSION 3**

**Hotel Metropolitan Room Asama C:  
16P-I**

**ENVIRONMENT AND ENERGY**

**16P-I-01 Structure, Surface Chemistry and Adsorption Properties of Nanostructured Microporous Carbon Materials**

Roger Gadiou<sup>1</sup>, Antoine Didion<sup>1</sup>, Cathie Vix-Guterl<sup>1</sup>  
(<sup>1</sup>Institute of Chemistry of Surfaces and Interfaces, France) 261

**16P-I-02 Carbon Modified Anatase TiO<sub>2</sub> (TiO<sub>2</sub>/C) Obtained by Pressure Technique for Phenol and Azo Dyes Decomposition**

Beata Tryba<sup>1</sup>, Magdalena Janus<sup>1</sup>, Ewelina Kusiak<sup>1</sup>, Antoni W. Morawski<sup>1</sup> (<sup>1</sup>Szczecin Univ. of Technology, Poland) 261

**16P-I-03**

**(Withdrawn)**

**16P-I-04 Regeneration of Activated Carbon Saturated with Chromium (VI)**

Dilek Duranoglu Gulbayir<sup>1</sup>, Ulker Gurbuz Beker<sup>1</sup> (<sup>1</sup>Yildiz Technical Univ., Turkey) 262

**16P-I-05 Effects of the Kind of Bamboo on the Basic Properties and Absorbability of Woods Ceramics**

Ying Pin Huang<sup>1</sup>, Chuan Chi Chien<sup>1</sup> (<sup>1</sup>ITRI, Taiwan) 263

**16P-I-06 Controlled Removal of Ionogenic Pesticides on Activated Carbon Textiles**

Sandrine Delpoux-Ouldriane<sup>1</sup>, Sandrine Delpoux-Ouldriane<sup>1</sup>, Nathalie Cohaut<sup>1</sup>, Francois Beguin<sup>1</sup>, (<sup>1</sup>CNRS-CRMD, France) 263

**16P-I-07 The Influence of Electrode Density on the Electrochemical Performance of Highly Crystalline Graphites in Li-Ion Batteries**

See How Ng<sup>1</sup>, Fabio La Mantia<sup>1</sup>, Wolfgang Maerckle<sup>1</sup>, Michael E. Spahr<sup>2</sup>, Cathie Vix-Guterl<sup>3</sup>, Petr Novak<sup>1</sup> (<sup>1</sup>Paul Scherrer Institute, Switzerland) (<sup>2</sup>TIMCAL SA, Switzerland) (<sup>3</sup>Institut de Chimie des Surfaces et Interfaces, France) 264

**16P-I-08 Wastewater Treatment System Applying Charcoal as Biological Media**

Michio Ohata<sup>1</sup>, Satoko Tanaka<sup>1</sup>, Shuji Yoshizawa<sup>1</sup> (<sup>1</sup>Meisei Univ., Japan) 264

**16P-I-09 Influence of Mixed Acid Ratio on Hydrogen Storage Behaviors of Graphites**

Byung-Joo Kim<sup>1</sup>, Young-Seak Lee<sup>2</sup>, Soo-Jin Park<sup>3</sup> (<sup>1</sup>Univ. of Science and Technology, Korea) (<sup>2</sup>Chungnam National Univ., Korea) (<sup>3</sup>Inha Univ., Korea) 265

**16P-I-10 Resonance Effect of Electromagnetic Waves on a Single Walled Nanotube**

Mikio Iizuka<sup>1</sup>, Satoshi Nakamura<sup>1</sup>, Hisashi Nakamura<sup>1</sup>  
(<sup>1</sup>Research Organization for Information Science and Technology (RIST), Japan) 265

**16P-I-11 Sorption of Radioactive Isotopes and Toxic Metal Ions by Nanostructural Carbon Materials**

Zulhair A. Mansurov<sup>1</sup>, Mikhail M Yemuranov<sup>1</sup>, Nurzhama K. Zhylybaeva<sup>1</sup>, Makhmut A. Bijsenbaev<sup>1</sup> (<sup>1</sup>Kazakh National Univ., Republic of Kazakhstan) 266

**16P-I-12 Anode Performance of Herringbone-type Carbon Nanofiber in Lithium Ion Secondary Batteries**

Takuya Hasegawa<sup>1</sup>, Hideaki Ishikawa<sup>1</sup>, Ryo Hisayama<sup>1</sup>, Naoki Saeki<sup>1</sup>, Takumi Miyamori<sup>1</sup>, Yoong-Ahm Kim<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ. Japan) 266

**16P-I-13 Analysis of CNT T-junction Formation**

Hirokazu Suzuki<sup>1</sup>, Yuta Shiba<sup>1</sup>, Ozora Yoshino<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 267

**ADSORPTION, SURFACES AND POROUS MATERIALS**

**16P-I-14 Preparation of Porous Carbons by Defluorination of Perfluorooctane and Octafluorotoluene and Enhanced Porosity Obtained by Mixing Them**

Osamu Tanaike<sup>1</sup>, Jun Kawabuchi<sup>2</sup>, Hiroaki Hatori<sup>1</sup>, Ryohei Asakura<sup>3</sup>, Naoya Miyajima<sup>4</sup>, Yoahio Yamada<sup>2</sup>  
(<sup>1</sup>AIST Tsukuba, Japan) (<sup>2</sup>Fukui Univ., Japan) (<sup>3</sup>Fukuoka Prefectural Institute of Technology, Japan) (<sup>4</sup>Yamanaahi Univ., Japan) 267

**16P-I-15 The Surface Structure of Nitrogen-doped Carbon Aerogels Synthesized by Sol-gel Process**

Wenming Qiao<sup>1</sup>, Donghui Long<sup>1</sup>, Rui Zhang<sup>1</sup>, Liang Zhan<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 268

**16P-I-16 Surface Modification of Pitch-based Spherical Activated Carbon to Enhance Uric Acid Adsorption**

Wenming Qiao<sup>1</sup>, Chaojun Liu<sup>1</sup>, Xiaoyi Liang<sup>1</sup>, Xiaojun Liu<sup>1</sup>, Qin Wang<sup>1</sup>, Liang Zhan<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 268



## 16P-I-17 Wettability Modification of Pitch-based Spherical Activated Carbon and Its Phenol Adsorption Study

Wenming Qiao, Chaojun Liu<sup>1</sup>, Xiaojun Liu<sup>1</sup>, Liang Zhan<sup>1</sup>, Xiaoyi Liang<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 269

## 16P-I-18 Effects of Different Metals and Their Dispensability of Metal-loaded Polystyrene-based Activated Carbon Spheres on Adsorption of Dibenzothiophene

Wenming Qiao<sup>1</sup>, Qin Wang<sup>1</sup>, Xiaoyi Liang<sup>1</sup>, Chaojun Liu<sup>1</sup>, Xiaojun Liu<sup>1</sup>, Liang Zhan<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China University of Science and Technology) 269

## 16P-I-19 Removal of Heavy Metal Ions from Aqueous Solution by Bamboo Charcoals Nested with Carbon Nanotubes

Zheng-Hong Huang<sup>1</sup>, Jiangnan Zhang<sup>1</sup>, Feiyu Kang<sup>1</sup> (<sup>1</sup>Tsinghua Univ., China) 270

## 16P-I-20 Physical Activation of Russian Stone

Murat Kılıç<sup>1</sup>, Esin Apaydin Varol<sup>1</sup>, Basak Burcu Uzun<sup>1</sup>, Ayse Eren Pütün<sup>1</sup> (<sup>1</sup>Anadolu Univ., Turkey) 270

## 16P-I-21 Modification of the Adsorption Capacity of Kraft's Lignin by Changing the Flocculation Conditions During Its Preparation

Rafael Urbina<sup>1</sup>, Narciso Perez<sup>1</sup>, Jenny Fernandez<sup>1</sup>, Luisa A Delgado<sup>1</sup> (<sup>1</sup>Univ. Simon Bolivar, Venezuela) 271

## 16P-I-22 Hydrogen Adsorption of Metal/Organic/CNT Hybrid Material: First Principal Calculation

Jung Hyun Cho<sup>1</sup>, Chong Rae Park<sup>1</sup> (<sup>1</sup>Seoul National Univ., Korea) 271

## 16P-I-23 Changes in I<sub>2</sub>/CO Separation Efficiency in The Oxidized and Reduced Molecular Sieve Carbon Fibers

Alexander V. Berveno<sup>1</sup>, Victor P. Berveno<sup>1</sup>, Sergey Yu. Lyshchikov<sup>1</sup> (<sup>1</sup>Kemerovo State Univ., Russia) 272

## 16P-I-24 Adsorption Behavior of Wood Charcoal - Selectivity of Toluene from the Mixed Gas with Alpha-pinene

Rie Yamashita<sup>1</sup>, Yukie Saito<sup>2</sup> (<sup>1</sup>Industrial Research Institute of Shizuoka Prefecture, Japan) (<sup>2</sup>Univ. of Tokyo, Japan) 272

## NANOTUBES

## 16P-I-25 Nano Structure of Carbon Nano Tube Products

Khe C. Nguyen<sup>1</sup>, Tv Le<sup>2</sup>, Cdt Nguyen<sup>2</sup>, P. T. Huynh<sup>2</sup>, Tnn Nguyen<sup>2</sup>, D. V. Nguyen<sup>2</sup>, Atn Mai<sup>2</sup> (<sup>1</sup>KTube Technology LLC, San Jose CA, USA) (<sup>2</sup>Saigon Hi Tech Park Research Laboratories, Vietnam) 273

## 16P-I-26 Synthesis and Structure Characterization of Thin Multi-walled Carbon Nanotubes by a Catalytic Chemical Vapor Deposition Method

Takuya Ichiki<sup>1</sup>, Yoong Ahm Kim<sup>1</sup>, Hiroyuki Muramatsu<sup>1</sup>,

Daisuke Shimamoto<sup>1</sup>, Yuki Kakegawa<sup>1</sup>, Hiroshi Kakegawa<sup>1</sup>, Kazunori Fujisawa<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Moronobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 273

## 16P-I-27 Properties and Dispersion of the MWNT Produced by a Floating Reactant Method

Naohiro Tarumoto<sup>1</sup>, Takayuki Tsukada<sup>1</sup> (<sup>1</sup>Nano Carbon Technologies Co., Ltd., Japan) 274

## 16P-I-28 Isolation of Double Walled Carbon Nanotubes via Single Stranded DNA

Jin Hee Kim<sup>1</sup>, Masakatsu Kataoka<sup>1</sup>, Daisuke shimamoto<sup>1</sup>, Hiroyuki Muramatsu<sup>1</sup>, Yoong Ahm Kim<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 274

## 16P-I-29 Atomic Hydrogen Interaction with SWCNT

Liv Hornekaer<sup>1</sup>, Saoud Baouche<sup>1</sup>, Bjarke Joergensen<sup>1</sup>, Wei Xu<sup>1</sup>, Louis Nilsson<sup>1</sup>, Flemming Besenbacher<sup>1</sup> (<sup>1</sup>Univ. of Aarhus, Denmark) 275

## 16P-I-30 Studies on Thermal, Mechanical, and Electrical Properties of CBs/MWNTs/Polyimide Nanocomposites

Sung-Won Chae<sup>1</sup>, Kyong-Yop Rhee<sup>2</sup>, Soo-Jin Park<sup>3</sup> (<sup>1</sup>Chonbuk National Univ., Korea) (<sup>2</sup>Kyunghee Univ., Korea) (<sup>3</sup>Inha Univ., Korea) 275

## 16P-I-31 Bending Deformation of Carbon Nanotubes Caused by a Five-seven Pair Couple Defect

Kei Wako<sup>1</sup>, Tatsuki Oda<sup>2</sup>, Maasaru Tachibana<sup>1</sup>, Kenichi Kojima<sup>1</sup> (<sup>1</sup>Yokohama City Univ., Japan) (<sup>2</sup>Kanazawa Univ., Japan) 276

## 16P-I-32 Transport Property of Boron Doped Multi-Walled Carbon Nanotubes

Yuki Kakegawa, Yoong Ahm Kim<sup>1</sup>, Hiroyuki Muramatsu<sup>1</sup>, Daisuke Shimamoto<sup>1</sup>, Takuya Ichiki<sup>1</sup>, Hiroshi Kakegawa<sup>1</sup>, Kazunori Fujisawa<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 276

## 16P-I-33 Inner-Tube Chirality Determination for Double-Walled Carbon Nanotubes by Scanning Tunneling Microscopy

Cristina E Giusca<sup>1</sup>, Yann Tison<sup>2</sup>, Vlad Stolojan<sup>1</sup>, S. Ravi P. Silva<sup>1</sup> (<sup>1</sup>Univ. of Surrey, UK) (<sup>2</sup>Univ. of Denmark, Denmark) 277

## 16P-I-34 New Generation of Carbon-carbon Composites with Carbon Nanotubes

Bojan O. Boskovic<sup>1</sup>, Krzysztof K. Koziol<sup>2</sup>, Ian A. Kinloch<sup>3</sup>, Alan H. Windle<sup>2</sup> (<sup>1</sup>Dunlop Aerospace Braking Systems, Meggitt PLC, UK) (<sup>2</sup>Univ. of Cambridge, UK) (<sup>3</sup>Univ. of Manchester, UK) 277

## 16P-I-35 Effect of Rubidium Flouride on the field Emission Properties of Carbon Nanostructures

Sandeep Chhoker<sup>1</sup>, Vasant D. Vankar<sup>1</sup> (<sup>1</sup>IIT Delhi, Hauzkhwas, India) 278

## 16P-I-36 Development of Multiwalled Carbon Nanotubes and Polyaniline Based Hybrid Material

Sippy Kalra Chauhan<sup>1</sup>, Lalit Mohan Bharadwaj<sup>2</sup> (<sup>1</sup>Central Road Research Laboratory, India) (<sup>2</sup>Biomolecular Electronics & Nanotechnology, Chandigarh, India) 278

**16P-I-37 Patterned Growth of CNTs by AFM Nano-oxidation**

Chien-Chao Chiu<sup>1</sup>, Masamichi Yoshimura<sup>1</sup>, Kazuyuki Ueda<sup>1</sup> (<sup>1</sup>Toyota Technological Institute, Japan) 279

**16P-I-38 Carbon arc Synthesis of SWCNTs and Plasma Diagnostics**

Hubert Lange<sup>1</sup>, Michal Bystrzejewski<sup>1</sup>, Andrzej Huczko<sup>1</sup> (<sup>1</sup>Warsaw Univ., Poland) 279

**16P-I-39 The Surface and Dispersion Properties of Modified MWCNT by Acid Treatment**

Se Ho Cho<sup>1</sup>, Ji Sun Im<sup>1</sup>, Young-Seak Lee<sup>1</sup> (<sup>1</sup>Chungnam National Univ., Korea) 280

**16P-I-40 Low Cost and Large Scale production Method of Multi-walled Carbon Nanotubes by Natural Resources**

Tomoyuki Fukuyo<sup>1</sup>, Kenji Takeuchi<sup>2</sup>, Takuya Ichiki<sup>2</sup>, Satoshi Iinou<sup>2</sup>, Ki Chul Park<sup>2</sup>, Y. A. Kim<sup>2</sup>, Takuya Hayashi<sup>2</sup>, Morinobu Endo<sup>2</sup> (<sup>1</sup>MEFS Co. Ltd., Japan) (<sup>2</sup>Shinshu Univ., Japan) 280

**16P-I-41 Ultrasonic Vibration of Fluid-Filled Double-walled Carbon Nanotubes**

Toshiaki Natsuki<sup>1</sup>, Qing-Qing Ni<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 281

**16P-I-42 Mechanical Properties of Carbon Nanotubes under Hydrostatic Pressure**

Naoki Fujita<sup>1</sup>, Toshiaki Natsuki<sup>1</sup>, Qing-Qing Ni<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 281

**16P-I-43 An Investigation of Iron Nanoparticle Formation by Ferrocene Pyrolysis for CNTs Production**

Keisuke Watanabe<sup>1</sup>, Tomonori Sato<sup>1</sup>, Taku Shindoh<sup>1</sup>, Yohsuke Matsusita<sup>1</sup>, Hideyuki Aoki<sup>1</sup>, Takatoshi Miura<sup>1</sup>, Fuminori Munekane<sup>2</sup> (<sup>1</sup>Tohoku Univ., Japan) (<sup>2</sup>Nano Carbon Technologies Co., Ltd., Japan) 282

**16P-I-44 Molecular Dynamics Simulation on Nitrogen Doping in Carbon Nanotube**

Ozora Yoshino<sup>1</sup>, Yuta Shiba<sup>1</sup>, Hirokazu Suzuki<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 282

**16P-I-45 Three-dimensional Structure of Multi Wall Carbon Nano-tube in Natural Rubber Studied by Transmission Electron Microtomography**

Ken-ichi Niihara<sup>1</sup>, Hiroshi Jinnai<sup>1</sup>, Shigeki Inukai<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>2</sup>, Morinobu Endo<sup>3</sup> (<sup>1</sup>Kyoto Institute of Technology, Japan) (<sup>2</sup>Nissin Kogyo Co. Ltd., Japan) (<sup>3</sup>Shinshu Univ., Japan) 283

## NANOFORMS

**16P-I-46**  
**(Withdrawn)**

**16P-I-47 Application of Polymer Blend to Construct Concentric Multiple-layered Hollow Shell Carbons**

Terukazu Sandou<sup>1</sup>, Jun-ichi Ozaki<sup>1</sup> (<sup>1</sup>Gunma Univ., Japan) 284

**16P-I-48 Self-assembling, Hierarchy and Architectures of Carbon Nanoobjects**

Sergey V. Kozyrev<sup>1</sup>, Alexey E. Madison<sup>1</sup> (<sup>1</sup>Petersburg State Polytechnical Univ., Russia) 284

**16P-I-49 Synthesis of Fullerenes and Carbon Nanotubes in Flames**

Zulkhair A. Mansurov<sup>1</sup>, Bakhytzhana T. Lesbaev<sup>1</sup>, Dmitriy I. Chenchik<sup>1</sup>, Nikolay G. Prikhodko<sup>1</sup>, Esen E. Dilmukhambetov<sup>1</sup>, S. T. Kazakbaev<sup>1</sup> (<sup>1</sup>Kazakh National Univ.) 285

**16P-I-50 Synthesis of Carbon-silicon Nanocomposite**

Zulkhair A. Mansurov<sup>1</sup>, Tat'yana A. Shabanova<sup>1</sup>, Rosa G. Abdulkarimova<sup>1</sup>, Nina N. Mofa<sup>1</sup>, Makhmut A. Bijsenbaev<sup>1</sup> (<sup>1</sup>Kazakh National Univ., Kazakhstan) 285

**16P-I-51 Small-angle Scattering Measurement of Highly Ordered Pyrolytic Graphite and Nano-scale Defects caused by Neutron Irradiation**

Ayano Chiba<sup>1</sup>, Thomas E. Weller<sup>2</sup>, Anuj Shukla<sup>3</sup>, Daniele Pontiroli<sup>4</sup>, Sanjay Rastogi<sup>5</sup>, Stephen M. Bennington<sup>2</sup> (<sup>1</sup>Keio Univ., Japan) (<sup>2</sup>Rutherford Appleton Laboratory, UK) (<sup>3</sup>European Synchrotron Radiation Facility, France) (<sup>4</sup>Univ. of Parma, Italy) (<sup>5</sup>Loughborough Univ., UK) 286

## ELECTROCHEMISTRY, BATTERIES AND CAPACITORS

**16P-I-52 Electrochemical Oxygen Reduction Activity of Nanoshells Formed in Confined Space of Electrospun PAN Nanofibers**

Takeaki Kishimoto<sup>1</sup>, Shin-ichi Horiguchi<sup>1</sup>, Kazuo Saito<sup>1</sup>, Jun-ichi Ozaki<sup>2</sup> (<sup>1</sup>Nisshinbo Industries, Inc., Japan) (<sup>2</sup>Gunma Univ., Japan) 286

**16P-I-53 Influence of Some Dimensional Parameters of CNT at Aligned MWCNT Sheet Electrode**

Yuichi Honda<sup>1</sup>, Masayuki Takeshige<sup>1</sup>, Hideki Shiozaki<sup>2</sup>, Takharu Kitamura<sup>2</sup>, Kenji Yoshikawa<sup>2</sup>, Masashi Ishikawa<sup>1</sup> (<sup>1</sup>Kansai Univ., Japan) (<sup>2</sup>Hitachi Zosen Corp., Japan) 287

**16P-I-54 Improvement of Electrode/Electrolyte Interface Resistance at Activated Carbon/DNA Composite Electrodes for Aqueous EDLC**

Shigeaki Yamazaki<sup>1</sup>, Kazushi Nitta<sup>1</sup>, Keigo Obata<sup>2</sup>, Yoshiaki Okuhama<sup>2</sup>, Yoshiharu Matsuda<sup>3</sup>, Masashi Ishikawa<sup>1</sup> (<sup>1</sup>Kansai Univ., Japan) (<sup>2</sup>Daiwa Fine Chemicals Co., Ltd., Japan) (<sup>3</sup>Kensei Inc., Japan) 287

**16P-I-55 On the Contribution of Heteroatoms to the Capacitance Properties of Nitrogen Enriched Carbons**

Jacek Machnikowski<sup>1</sup>, Helena Machnikowska<sup>2</sup>, Grzegorz Lota<sup>2</sup>, Elzbieta Frackowiak<sup>2</sup> (<sup>1</sup>Wroclaw Univ. of Technology,

Poland) (<sup>2</sup>Poznan Univ. of Technology, Poland) 288

**16P-I-56 Preparation of N- and/or B-doped Carbons by Copolymerization and Their Catalytic Activity for Electrochemical Reduction Reaction**

Guang Feng Liu<sup>1</sup>, Jun-ichi Ozaki<sup>1</sup>, Naofumi Kimura<sup>1</sup>  
(<sup>1</sup>Gunma Univ., Japan) 288

**16P-I-57 Correlation of Hydrogen Capacity into Carbon**  
Krzysztof Jurewicz<sup>1</sup>, Grzegorz Lota<sup>1</sup>, Elzbieta Frackowiak<sup>1</sup>  
(<sup>1</sup>Poznan Univ., Poland) 289

**16P-I-58 Electroactivity of Platinum Alloy Nanoclusters on Carbon Supports Prepared by Electrochemical Deposition**

Seok Kim<sup>1</sup>, Jae-Rock Lee<sup>1</sup>, Soo-Jin Park<sup>2</sup> (<sup>1</sup>Korea Research Institute of Chemical Technology, Korea) (<sup>2</sup>Inha Univ., Korea) 289

**16P-I-59 Platinum and Ruthenium Alloy Electrocatalysts for Direct Methanol Fuel Cells**

Hee Jin Sohn<sup>1</sup>, Seok Kim<sup>1</sup>, Jae-Rock Lee<sup>1</sup>, Soo-Jin Park<sup>2</sup>  
(<sup>1</sup>Korean Research Institute of Chemical Technology, Korea) (<sup>2</sup>Inha Univ., Korea) 290

**16P-I-60 Effect of Surface Functionality on the Electrochemical Hydrogen Storage Properties of Nanoporous Carbons**

Krzysztof Kierzek<sup>1</sup>, Marie-Pierre Bichat<sup>2</sup>, Jacek Machnikowski<sup>1</sup>, Encarnacion Raymundo-Pinero<sup>2</sup>, Elzbieta Frackowiak<sup>3</sup>, François Beguin<sup>2</sup> (<sup>1</sup>Wroclaw Univ. of Technology, Poland) (<sup>2</sup>CNRS, France) (<sup>3</sup>Poznan Univ. of Technology, Poland) 290

**16P-I-61 Pore-dependence of Capacitance in the Typical Pitch and PAN-based ACFs**

Taegon Kim<sup>1</sup>, Masaharu Tsuji<sup>1</sup>, Isao Mochida<sup>1</sup>, Seong-Ho Yoon<sup>1</sup> (<sup>1</sup>IMCE, Kyushu Univ., Japan) 291

**16P-I-62 Carbon Nanowalls as a Negative Electrode in Lithium-ion Battery**

Norihiro Kitada<sup>1</sup>, Hirohumi Yoshimura<sup>1</sup>, Osamu Tanaike<sup>2</sup>, Kenichi Kobayashi<sup>3</sup>, Hiroshi Nakai<sup>4</sup>, Kenichi Kojima<sup>1</sup>, Masaru Tachibana<sup>1</sup> (<sup>1</sup>Yokohama City Univ., Japan) (<sup>2</sup>AIST, Japan) (<sup>3</sup>NISSAN ARC, LTD., Japan) (<sup>4</sup>IHI Corporation, Ltd., Japan) 291

**16P-I-63 Effect of Addition of Surfactants to Acid or Alkaline Aqueous Solutions on Performance of Electric Double Layer Capacitor**

Akinori Muto<sup>1</sup>, Yoshiki Sasada<sup>1</sup>, Thallda Bhaskar<sup>2</sup>, Yusaku Sakata<sup>1</sup> (<sup>1</sup>Okayama Univ., Japan) (<sup>2</sup>Indian Institute of Petroleum, India) 292

**16P-I-64 The Application of Vapor Grown Carbon Fiber (VGCF<sup>TM</sup>) to Lithium Ion Battery Technology**

Chiaki Sotowa<sup>1</sup>, Masataka Takeuchi<sup>1</sup> (<sup>1</sup>Showa Denko K.K., Japan) 292

**16P-I-65 Preparation of Oxidation-treated of Oxidized**

**Carbons and Its Electrochemical Performance for Electric Double Layer Capacitor**

Sunhye Yang<sup>1</sup>, Ick-Jun Kim<sup>1</sup>, Min-Je Jeon<sup>1</sup>, Seong-In Moon<sup>1</sup>, Hyun-Soo Kim<sup>1</sup>, Kye-Hyeok An<sup>2</sup> (<sup>1</sup>Korea Electrotechnology Research Institute, Korea) (<sup>2</sup>Jeonju Machinery Research Center, Korea) 293

**16P-I-66 Comparative Study of the Electric Double Layer Capacitors for KOH-activated Anisotropic and Isotropic Pitches-based Porous Carbons**

Takayuki Oka<sup>1</sup>, Yoong Jung Kim<sup>1</sup>, Masaaki Kitani<sup>1</sup>, Tsuyoshi Kodama<sup>1</sup>, Keita Higuchi<sup>1</sup>, Naohiro Aoyama<sup>1</sup>, Akane Kobayashi<sup>1</sup>, Takehiro Okumoto<sup>1</sup>, Mitsuhiro Fujita<sup>1</sup>, Takuya Hayashi<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 293

**16P-I-67 Electrochemical QCM Analysis of Electric Double Layer Capacitance Using Activated Carbon Nanofiber**

Soshi Shiraishi<sup>1</sup>, Takayuki Miyachi<sup>1</sup>, Rei Sasaki<sup>1</sup> (<sup>1</sup>Gunma Univ., Japan) 294

## ***CARBON FIBERS AND COMPOSITES***

**16P-I-68 Shape Memory and Actuator Characteristics of CNTs and Shape Memory Polymer Composites**

Qing-Qing Ni<sup>1</sup>, Mitsuhiro Yasuda<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 294

**16P-I-69 Innovative Sandwich Composite Structure based on Biomimetics of the Beetle**

Qing-Qing Ni<sup>1</sup>, Hideaki Shirai<sup>1</sup>, Toshiaki Natsuki<sup>1</sup> (<sup>1</sup>Shishu Univ., Japan) 294

**16P-I-70 High-alignment of Carbon Nanotubes/Polyacrylonitrile Nanofibers**

Xiaoping Yang<sup>1</sup>, Gang Sui<sup>1</sup>, Yunhua Yu<sup>1</sup>, Jianying Ji<sup>1</sup>, Seungkon Ryu<sup>2</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) (<sup>2</sup>Chungnam National Univ., Korea) 295

**16P-I-71 Mechanical Properties of MWCNT/Elastomer Nanocomposites and Cellulose Model**

Toru Noguchi<sup>1</sup>, Shigeki Inukai<sup>1</sup>, Hiroyuki Ueki<sup>1</sup>, Akira Magario<sup>1</sup>, Morinobu Endo<sup>2</sup> (<sup>1</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>2</sup>Shinshu Univ., Japan) 295

**16P-I-72 Mechanical and Electrical Properties of Carbon Nanofiber/Semi-crystalline Polymers Composites**

Gang Sui<sup>1</sup>, Xiaoping Yang<sup>1</sup>, Yunhua Yu<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 296

**16P-I-73 An Approach to Mass-producing Individually-alumina-decorated Multi-walled Carbon Nanotubes with Optimized and Controlled Compositions**

Mehdi Estili<sup>1</sup>, Akira Kawasaki<sup>1</sup>, Kenta Takagi<sup>1</sup> (<sup>1</sup>Tohoku Univ., Japan) 296

**16P-I-74 A Gradient SiC-MoSi<sub>2</sub> Coating for Carbon /Carbon Composites**

Qian-Gang Fu<sup>1</sup>, He-Jun Li<sup>1</sup>, Ke-Zhi Li<sup>1</sup>, Xiao-Hong Shi<sup>1</sup>

(<sup>1</sup>Northwestern Polytechnical Univ., China) 297

**16P-I-75 Carbon-carbon Composites: Mesophase Pitch Based Carbon Matrices Containing Ultra Dilute Concentrations of Carbon Nanoparticles**

Rebecca M. Alway-Cooper<sup>1</sup>, Amod Ogale<sup>1</sup> (<sup>1</sup>Clemson Univ., USA) 297

**16P-I-76**

**(Withdrawn)**

**16P-I-77 Mechanical and Heat-resistant Properties of Surface Modified Multi-walled Carbon Nanotube-filled Rubber Composites**

Kenji Takeuchi<sup>1</sup>, Satoshi Iinou<sup>2</sup>, Hiroyuki Ueki<sup>3</sup>, Toru Noguchi<sup>3</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>MEFS Corporation, Japan) (<sup>3</sup>Nissin Kogyo Co. Ltd, Japan) 298

**16P-I-78 Thermal and Mechanical Properties of CNT/Natural Rubber Composites**

Haruyuki Sano<sup>1</sup>, Yoshihiko Komori<sup>1</sup>, Kiyoshige Muraoka<sup>1</sup>, Tetsuo Mizoguchi<sup>1</sup>, Hitoshi Iwabuki<sup>2</sup>, Masashi Urabe<sup>2</sup>, Kazuya Nagata<sup>2</sup>, Hiroyuki Ueki<sup>3</sup>, Akira Magario<sup>3</sup>, Toru Noguchi<sup>3</sup>, Morinobu Endo<sup>4</sup> (<sup>1</sup>SRI R&D Ltd., Japan) (<sup>2</sup>Industrial Technology Center of Okayama Prefecture, Japan) (<sup>3</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>4</sup>Shinshu Univ., Japan) 299

**16P-I-79 Mechanical Properties of Low Heat-treated Multi-walled Carbon Nanotube/Elastomer Nanocomposites**

Satoshi Iinou<sup>1</sup>, Kenji Takeuchi<sup>2</sup>, Hiroyuki Ueki<sup>3</sup>, Toru Noguchi<sup>3</sup>, Morinobu Endo<sup>2</sup> (<sup>1</sup>MEFS Co., Ltd., Japan) (<sup>2</sup>Shinshu Univ., Japan) (<sup>3</sup>Nissin Kogyo Co., Ltd., Japan) 300

**16P-I-80 Effect of MWCNT on Molecular Mobility of EPDM Investigated by Pulsed NMR**

Masashi Urabe<sup>1</sup>, Hitoshi Iwabuki<sup>1</sup>, Kazuya Nagata<sup>1</sup>, Shigeki Inukai<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>2</sup>, Morinobu Endo<sup>3</sup> (Industrial Technology Center of Okayama Prefecture, Japan) (<sup>2</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>3</sup>Shinshu Univ., Japan) 301

**16P-I-81 Structural Characterization of Carbon Nanotube/Elastomer Composites by Thermally Stimulated Current Measurement**

Shigeki Inukai<sup>1</sup>, Hiroyuki Ueki<sup>1</sup>, Akira Magario<sup>1</sup>, Toru Noguchi<sup>1</sup>, Taisei Hirayama<sup>2</sup>, Morinobu Endo<sup>3</sup> (<sup>1</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>2</sup>Rigaku Co., Ltd., Japan) (<sup>3</sup>Shinshu Univ., Japan) 301

**16P-I-82 Mechanical Properties of CNT-FKM Rubber Composites**

Masaei Ito<sup>1</sup>, Canyon Wang<sup>1</sup>, Haruo Unosawa<sup>1</sup>, Tsutomu Yamate<sup>1</sup>, Toru Noguchi<sup>2</sup>, Shigeki Inukai<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Morinobu Endo<sup>3</sup> (<sup>1</sup>Schlumberger K.K., Japan) (<sup>2</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>3</sup>Shinshu Univ., Japan) 302

**16P-I-83 Dynamic Viscoelastic Behaviors of CNT/Elastomer Composites**

Eisuke Yamada<sup>1</sup>, Takahide Kumagai<sup>1</sup>, Shigeki Inukai<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>2</sup>, Morinobu Endo<sup>3</sup> (<sup>1</sup>Aichi Institute of Technology, Japan) (<sup>2</sup>Nissin Kogyo Co., Ltd.,) (<sup>3</sup>Shinshu Univ., Japan) 302

**16P-I-84 Nano-scale Structural and Mechanical Analysis of CNT/Elastomer Composite**

Ken Nakajima<sup>1</sup>, Takaaki Igarashi<sup>1</sup>, Shigeki Inukai<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>2</sup>, Morinobu Endo<sup>3</sup>, Toshio Nishi<sup>1</sup> (<sup>1</sup>Tokyo Institute of Technology, Japan) (<sup>2</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>3</sup>Shinshu Univ., Japan) 303

**16P-I-85 Electrical Resistivity of Sheet-type Heaters Made of Polyimide with Nanocarbon Fillers**

Tetsuya Isshiki<sup>1</sup>, Yuki Ota<sup>1</sup>, Yoshiyuki Hattori<sup>1</sup>, Fujio Okino<sup>1</sup>, Masanori Tomita<sup>2</sup>, Takashi Yanagisawa<sup>2</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>GSI Creos Corporation, Japan) 303

**16P-I-86 Carbon Fiber Reinforced SiC Materials for Friction Application**

Andreas Kienzle<sup>1</sup>, Wilhelm Frohs<sup>1</sup> (<sup>1</sup>SGL Group, Germany) 304

**16P-I-87 Microstructures of Pyrocarbons Deposited on Different Carbon Fibers**

Tongqi Li<sup>1</sup>, Zi-Jun Hu<sup>1</sup> (<sup>1</sup>Aerospace Research Institute of Materials & Processing Technology, China) 304

**16P-I-88 Bright Flexible Field Emission Display Device Using Carbon Nanofiber**

Takashi Kita<sup>1</sup>, M. Kawamura<sup>1</sup>, O. Wada<sup>1</sup>, H. Nakamura<sup>2</sup>, H. Yanagi<sup>2</sup>, A. Magario<sup>3</sup>, T. Noguchi<sup>3</sup> (<sup>1</sup>Kobe Univ., Japan) (<sup>2</sup>Nara Institute of Science and Technology, Japan) (<sup>3</sup>Nisshin Kogyo Co., Ltd., Japan) 305

**16P-I-89 Strength Enhancement of Carbon Nanofiber Reinforced Magnesium Alloy Composites Using Mechanical Alloying Technique at a Higher Milling Energy**

Takashi Hosono<sup>1</sup>, Yasuo Shimizu<sup>1</sup>, Kiyofumi Shirouzu<sup>1</sup>, Kei Tsukamoto<sup>1</sup>, Teppei Takagi<sup>1</sup>, Isamu Itoh<sup>1</sup>, Kazuhiko Sakaki<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 305

## LATE SUBMISSION

**16P-I-90 Evaluation Research of MWCNT / Elastomer Nanocomposites and Cellulation Model for Valve Sealing Components**

Yuichi Asano<sup>1</sup>, Toru Noguchi<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Shigeki Inukai<sup>2</sup>, Akira Magario<sup>2</sup>, Mitsufumi Soyama<sup>3</sup>, Morinobu Endo<sup>4</sup> (<sup>1</sup>KITZ Co, Japan) (<sup>2</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>3</sup>Kowa Rubber Industries Co., Ltd., Japan) (<sup>4</sup>Shinshu Univ., Japan) 306

**16P-I-91 Mechanical Properties of MWCNT/Elastomer Nanocomposites at Low Hardness**



Mitsufumi Soyama<sup>1</sup>, Kouki Miyagawa<sup>1</sup>, Takashi Yanagisawa<sup>1</sup>, Shigeki Inukai<sup>2</sup>, Hiroyuki Ueki<sup>2</sup>, Akira Magario<sup>2</sup>, Toru Noguchi<sup>2</sup>, Morinobu Endo<sup>3</sup> (<sup>1</sup>Kowagomu Kogyo Co., Ltd., Japan) (<sup>2</sup>Nissin Kogyo Co., Ltd., Japan) (<sup>3</sup>Shinshu Univ., Japan) 306

**16P-I-92 A Highly-Dispersed Attachment of Silver Nanoparticles on Surface-Functionalized Multi-Walled Carbon Nanotubes by an Electrostatic Interaction**

Feng Wang<sup>1</sup>, Dongsheng Yan<sup>1</sup>, Yongbin Zhao<sup>1</sup>, Jingjun Liu<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 307

**16P-I-93 A Facile Route to Synthesize Carbon-Nanotube /Cadmium-Sulfide Hybrid Heterostructures and Their Optical Properties**

Feng Wang<sup>1</sup>, Yongbin Zhao<sup>1</sup>, Haijing Liu<sup>1</sup>, Jingjun Liu<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 307

**16P-I-94 Towards Ultrasensitive Method for Determination of Metal Impurities in Carbon Nanotubes: Comparative Study of Magnetic Susceptibility, EPR, EDX, XPS and TGA Methods**

Martin Pumera<sup>1</sup>, Taras Kolodiazhnyi<sup>1</sup> (<sup>1</sup>National Institute for Materials Research, Japan) 308

**16P-I-95 Multi-walled Carbon Nanotubes Specifically Inhibit Osteoclast Differentiation and Function**

Nobuyo Narita<sup>1</sup>, Yasuhiro Kobayashi<sup>2</sup>, Hiroaki Nakamura<sup>2</sup>, Kazuhiro Maeda<sup>2</sup>, Akihiro Ishihara<sup>2</sup>, Toshihide Mizoguchi<sup>2</sup>, Yuki Usui<sup>1</sup>, Kaoru Aoki<sup>1</sup>, Masayuki Simizu<sup>1</sup>, Hiroyuki Kato<sup>1</sup>, Hidehiro Ozawa<sup>2</sup>, Nobuyuki Udagawa<sup>2</sup>, Morinobu Endo<sup>1</sup>, Naoyuki Takahashi<sup>2</sup>, Naoto Saito<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Matsumoto Dental Univ., Japan) 308

**16P-I-96 Carbon Nanotubes Show High Bone Tissue Compatibility and Accelerate Bone Formation**

Yuki Usui<sup>1</sup>, Kaoru Aoki<sup>1</sup>, Nobuyo Narita<sup>1</sup>, Koichi Nakamura<sup>1</sup>, Norio Ishigaki<sup>1</sup>, Hiroyuki Kato<sup>1</sup>, Yoong Ahm Kim<sup>1</sup>, Seiichi Taruta<sup>1</sup>, Morinobu Endo<sup>1</sup>, Naoto Saito<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 309

**16P-I-97 A Thin Carbon Fiber Web as a Scaffold for Bone Tissue Regeneration**

Kaoru Aoki<sup>1</sup>, Yuki Usui<sup>1</sup>, Hiroyuki Kato<sup>1</sup>, Yoong Ahm Kim<sup>1</sup>, Morinobu Endo<sup>1</sup>, Naoto Saito<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 309

**16P-I-98 Design and Operation of Laboratory Combustion Cell for Air Injection into Light Oil Reservoirs: Potential Application in Sindh Field**

Abdul Haque Tunio<sup>1</sup>, Rafiq Akhtar Kazi<sup>2</sup>, Hafeez-Ur-Rahman Memon<sup>1</sup> (<sup>1</sup>Mehran Univ. of Engineering and Technology, Pakistan) (<sup>2</sup>Reservoir Engineer, British Petroleum (Bp), Pakistan) 310

**16P-I-99 MWCNT-reinforced Magnesium Alloy Composite Applied on an Automobile Part Produced by High Speed Injection Mold Technique**

Y. Shimizu<sup>1</sup>, T. Takagi<sup>1</sup>, S. Tsukamoto<sup>1</sup>, I. Itoh<sup>1</sup>, T. Hosono<sup>1</sup>, K. Sakaki<sup>1</sup>, M. Endo<sup>1</sup>, S. Morimoto<sup>2</sup>, M. Suganuma<sup>3</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Nagano Techno Foundation,

Japan) (<sup>3</sup>Nissei Plastic Industry Co., Ltd., Japan) 311

**16P-I-100 Fabrication of Unique Nanocrystal/Nanocarbon Composites by Flux Method**

Katsuya Teshima<sup>1</sup>, SunHyung Lee<sup>1</sup>, Chikara Mori<sup>1</sup>, Takaomi Suzuki<sup>1,2</sup>, Morinobu Endo<sup>1,2</sup>, Shuji Oishi<sup>1,2</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Institute of Carbon Science and Technology, Japan) 312

**16P-I-101 Tensile Strength and Thermo Viscoelastic Properties of Thermoplastic Resin Composites Toughened by Carbon Nanofiber**

Masahiro Arai<sup>1</sup>, T. Endo<sup>1</sup>, T. Takahashi<sup>2</sup>, K. Tada<sup>3</sup>, M. Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) (<sup>2</sup>Yamagata Univ., Japan) (<sup>3</sup>Citizen Miyota Co., LTD., Japan) 313

**16P-I-102 Metal coating of MWCNTs by electroless plating**

Susumu Arai<sup>1</sup>, Tohru Yamamoto<sup>1</sup>, Mitsuhiro Kobayashi<sup>1</sup>, Junko Fujii<sup>1</sup>, Yuzo Imoto<sup>1</sup>, Morinobu Endo<sup>1</sup> (<sup>1</sup>Shinshu Univ., Japan) 313

**16P-I-103 Capacitor Performance of Nitrogen-enriched Carbons**

Masaya Kodama<sup>1</sup>, Junya Yamashita<sup>1</sup>, Yasushi Soneda<sup>1</sup>, Hiroaki Hatori<sup>1</sup>, Katsumi Kamegawa<sup>1</sup>, Naoya Miyajima<sup>2</sup> (<sup>1</sup>National Institute of Advanced Industrial Science and Technology (AIST), Japan) (<sup>2</sup>Yamanashi Univ., Japan) 18

## Hotel Metropolitan Room Kurohime: 16P-II

### *CHEMICAL PROPERTIES*

**16P-II-01 The Effect of ZnCl<sub>2</sub> Modifying on Structure and Mechanic Properties of Spin-use Large Tow Flame Retardant Polyacrylonitrile Fiber**

Jie Liu<sup>1</sup>, Chao Wang<sup>1</sup>, Zhaokun Ma<sup>1</sup> (<sup>1</sup>Beijing Univ. of Chemical Technology, China) 314

**16P-II-02 Nitrogen Enriched Active Carbons Obtained by Ammoxidation and their Physico-chemical Properties**

Robert Pietrzak<sup>1</sup>, Piotr Nowicki<sup>1</sup>, Helena Wachowska<sup>1</sup> (<sup>1</sup>Adam Mickiewicz Univ., Poland) 314

**16P-II-03 Characterization of Brazilian Decant Oils and Pitches by Extrography and Gas Chromatography Coupled with Mass Spectrometry**

Alexandre T. Castro<sup>1</sup>, Maria Helena Pereira<sup>1</sup>, Luiz Castro<sup>1</sup>, Ricardo Michel<sup>2</sup> (<sup>1</sup>Centro Tecnológico do Exército, Brazil) (<sup>2</sup>Universidade Federal do Rio de Janeiro, Brazil) 315

**16P-II-04 Oxidation Behaviors of Selected Nuclear Grade Graphites**

Eung-Seon Kim<sup>1</sup>, Yong-Wan Kim<sup>1</sup>, Kwang Youn Cho<sup>2</sup> (<sup>1</sup>Korea Atomic Energy Research Institute, Korea) (<sup>2</sup>Korea Institute of Ceramic Engineering & Technology) 315

**16P-II-05 Study on Adsorption Property of Carbon Microspheres**

Bingshe Xu<sup>1</sup>, Guo Qiaomei<sup>1</sup>, Yanli Yao<sup>1</sup>, Guo Junjie<sup>1</sup>, Xiaomin Wang<sup>1</sup> (<sup>1</sup>Taiyuan Univ. of Technology, China) 316

**16P-II-06 A Simple Synthesis of Hollow Carbon Microspheres**

Bingshe Xu<sup>1</sup>, Qiuping Luo<sup>1</sup>, Yongzhen Yang<sup>1</sup>, Chunyi Zhang<sup>1</sup>, Xuguang Liu<sup>1</sup> (<sup>1</sup>Taiyuan Univ. of Technology, China) 316

**16P-II-07 Behavior of C<sub>60</sub> during High-Temperature Treatment in Solutions of Hydrocarbons**

Otakar Frank<sup>1</sup>, Zdenka Pokorna<sup>2</sup>, Vera Hamplova<sup>2</sup>, Milan Bousa<sup>3</sup>, Petr Vitek<sup>3</sup>, Libor Juha<sup>2</sup>, Jan Jehlicka<sup>3</sup> (<sup>1</sup>J. Heyrovsky Institute of Physical Chemistry, Czech Republic) (<sup>2</sup>Institute of Physics of the ASCR, Czech Republic) (<sup>3</sup>Charles Univ., Czech Republic) 317

**16P-II-08 Effect of SiC on the Ablation Behavior of ZrB<sub>2</sub>-SiC/C Composites**

Xiutao Li (Aerospace Research Institute of Materials and Processing Technology, China) 317

**16P-II-09 Removal of Ni Using Electrochemically Activated Carbon**

Ilknur Kucuk<sup>1</sup>, Berat Yilmaz<sup>1</sup>, Mustafa Cankaya<sup>1</sup> (<sup>1</sup>Yildiz Technical Univ., Turkey) 318

**16P-II-10 Oxidation of Graphites for Future Nuclear Systems**

Baerbel Schloegl<sup>1</sup>, Hans K. Hinssen<sup>1</sup>, Rainer Moormann<sup>1</sup> (<sup>1</sup>Research Center Juelich, Germany) 318

## CARBONIZATION AND GRAPHITIZATION

**16P-II-11 Study on carbonization of Carbon Foam Precursor Derived from Phenolic Resin**

Shi Wen Lei<sup>1</sup>, Quanguo Guo<sup>1</sup>, Jingli Shi<sup>1</sup>, Lang Liu<sup>1</sup>, Jinren Song<sup>1</sup> (<sup>1</sup>Institute of Coal Chemistry, Chinese Academy of Sciences, China) 319

**16P-II-12 A Hybrid Process for the Synthesis of High Density Carbon/Carbon Composites Using Moderate Pressure**

Alixé Dekeyrel<sup>1</sup>, Marie-Anne Dourges<sup>1</sup>, Rene Pailler<sup>1</sup>, Nicolas Tenezé<sup>2</sup> (<sup>1</sup>LCTS, France) (<sup>2</sup>CEA Le Ripault, France) 319

**16P-II-13 Surface Structure of Graphitized Carbon Black**

Jian Chen<sup>1</sup>, Jin-ping<sup>1</sup> Zhao, Jing-yu Zhang<sup>1</sup> (<sup>1</sup>Sichuan Univ. of Science & Engineering, China) 320

**16P-II-14 Porous Carbons Derived from Dried Gel and Micelle of Pi-conjugated Molecules Having Carbon-carbon Triple Bonds**

Yuichi Ichikawa<sup>1</sup>, Yoshiaki Ayuta<sup>1</sup>, Masashi Kijima<sup>1</sup> (<sup>1</sup>Univ. of Tsukuba, Japan) 320

**16P-II-15 Preparation of Needle Coke from Anthracene; Oil-based Pitches**

Juan Sutil<sup>1</sup>, P. Álvarez<sup>1</sup>, M. Granda<sup>1</sup>, R. Menéndez<sup>1</sup> (<sup>1</sup>CSIC, Spain) 321

**16P-II-16 Study on HNO<sub>3</sub> Oxidation and Carbonization Behaviors of Pitch Spheres**

Wenming Qiao<sup>1</sup>, Xiaojun Liu<sup>1</sup>, Xiaoyi Liang<sup>1</sup>, Chaojun Liu<sup>1</sup>, Liang Zhan<sup>1</sup>, Rui Zhang<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 321

**16P-II-17 Preparation of High Surface Area Activated Carbons through NaOH/KOH Activation**

Wenming Qiao<sup>1</sup>, Chuanxiang Zhang<sup>1</sup>, Hongpeng Liu<sup>1</sup>, Yingbo Xie<sup>1</sup>, Rui Zhang<sup>1</sup>, Liang Zhan<sup>1</sup>, Licheng Ling<sup>1</sup> (<sup>1</sup>East China Univ. of Science and Technology, China) 322

**16P-II-18 Microwave Arcing Induced Formation and Growth Mechanism of Core-shell Metal/Carbon Nanoparticles in Organic Solution**

Yu-Lin Hsin<sup>1</sup>, Kuo Chu Hwang<sup>2</sup> (<sup>1</sup>Industrial Technology Research Institute, Taiwan) (<sup>2</sup>National Tsing Hua Univ. Taiwan) 322

**16P-II-19 Pyrolytic Conversion of Alkaline Lignin to Porous Carbon**

Takaharu Hirukawa<sup>1</sup>, Masashi Kijima<sup>1</sup>, Toshimitsu Hata<sup>2</sup> (<sup>1</sup>Univ. of Tsukuba, Japan) (<sup>2</sup>Univ. of Kyoto, Japan) 323

**16P-II-20 Template-free Preparation of Polymer and Carbon Hollow Spheres**

Sang Won Kim<sup>1</sup>, Chong Rae Park<sup>1</sup> (<sup>1</sup>Seoul National Univ., Korea) 323

**16P-II-21 Catalyst Free Growth of Amorphous Carbon Needles at Low Temperature**

Nyrki J. K. Rantonen<sup>1</sup>, Toru Toyabe<sup>1</sup>, Toru Maekawa<sup>1</sup> (<sup>1</sup>Toyo Univ., Japan) 324

**16P-II-22 Graphite Nanostructures and the Graphitisation of Diamond (111) Face**

Thomas E. Weller<sup>1</sup>, Steven Bennington<sup>1</sup>, Kate Ronayne<sup>1</sup>, Richard Jackman<sup>1</sup> (<sup>1</sup>RAL, UK) 324

**16P-II-23 Modification of Pyrolysed Oil Shale to Increase of Phenol Adsorption Capacity**

Dulce Maria de Ara\_jo Melo<sup>1</sup>, Marcus Antônio de Freitas Melo<sup>1</sup>, Ary Leonídio do Carmo Assunção<sup>1</sup>, Rodrigo César Santiago<sup>1</sup>, Renata Martins Braga<sup>1</sup>, Jardeylde Rosendo do Amaral<sup>1</sup>, Danilo Brasil Ribeiro<sup>1</sup> (<sup>1</sup>Universidade Federal do Rio Grande do Norte., Brazil) 325

**16P-II-24 Eutectic Effect in the Formation of Coal Based Mesophase Pitch**

Qingfang Zha<sup>1</sup>, Xianglin Cheng<sup>1</sup>, Yansheng Guo<sup>1</sup>, Xiaojun Yang<sup>1</sup>, Huixin Zhang<sup>1</sup> (<sup>1</sup>China Univ. of Petroleum, China)

325

**CHARACTERIZATION****16P-II-25 Pore Structure Analysis Using Small-angle X-ray Scattering (SAXS) Curve Simulation Technique Based on the Relativity Concept**

Se Hoon Gihm<sup>1</sup>, Chong Rae Park<sup>1</sup> (<sup>1</sup>Seoul National Univ., Korea) 326

**16P-II-26 Study on Porosity and Pore Size Distribution of Carbon and Graphite Strips Prepared from Mesocarbon Microbeads**

Yongzhong Song (Institute of Coal Chemistry, Chinese Academy of Sciences, China) 326

**16P-II-27 Production of Iron Oxide Coated Modified Activated Carbon**

Dilek Duranoglu Gulbayir<sup>1</sup>, Asli Avci<sup>1</sup>, Ulker Gurbuz Beker<sup>1</sup>, Ilknur Kucuk<sup>1</sup> (<sup>1</sup>Yildiz Technical Univ., Turkey) 327

**16P-II-28 Potential of Coal-derived Precursors in the Development of Porous Carbons via Alkali Activation**

Jacek Machnikowski<sup>1</sup>, Krzysztof Kierzek<sup>1</sup>, Helena Machnikowska<sup>1</sup> (<sup>1</sup>Wroclaw Univ. of Technology, Poland) 327

**16P-II-29 Definition of Pseudocomponent Structures for Narrow Cuts of Petroleum Pitch**

Ward A Burgess<sup>1</sup>, Mark Thies<sup>1</sup> (<sup>1</sup>Clemson Univ., USA) 328